


## Schema MITS Core Data 2.0.xsd

attribute form default: **unqualified**  
 element form default: **qualified**  
 targetNamespace: **http://my-company.com/namespace**

Elements	Complex types	Simple types
<a href="#">CoreData</a>	<a href="#">AddressType</a>	<a href="#">addressinfo</a>
	<a href="#">CustomersType</a>	<a href="#">customerinfo</a>
	<a href="#">PhoneType</a>	<a href="#">phoneinfo</a>
	<a href="#">PropertyContactsType</a>	<a href="#">propertycontactsinfo</a>
	<a href="#">PropertyIDType</a>	<a href="#">propertyidinfo</a>
	<a href="#">UnitType</a>	<a href="#">uniteconstatusinfo</a>
		<a href="#">unitleasestatusinfo</a>
		<a href="#">unitoccpstatusinfo</a>
		<a href="#">unitsqftinfo</a>

### element CoreData

diagram



namespace <http://my-company.com/namespace>

properties content complex

children [MITS:PropertyID](#) [MITS:PropertyContacts](#) [MITS:Customers](#) [MITS:Unit](#)

annotation documentation  
 MITS Core Data 2.0 Final 10/25/06

```

source <xs:element name="CoreData">
  <xs:annotation>
    <xs:documentation>MITS Core Data 2.0 Final 10/25/06</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="PropertyID" type="MITS:PropertyIDType">
        <xs:annotation>
          <xs:documentation>MITS PropertyID Core Data Module version 2.0</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="PropertyContacts" type="MITS:PropertyContactsType">
        <xs:annotation>
  
```


```

<xs:documentation>MITS PropertyContacts Core Data module version 2.0</xs:documentation>
</xs:annotation>
</xs:element>
<xs:element name="Customers" type="MITS:CustomersType">
  <xs:annotation>
    <xs:documentation>MITS Customers Core Data module version 2.0</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="Unit" type="MITS:UnitType">
  <xs:annotation>
    <xs:documentation>MITS Unit Core Data Module Version 2.0</xs:documentation>
  </xs:annotation>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

```

### element CoreData/PropertyID

diagram



namespace <http://my-company.com/namespace>

type [MITS:PropertyIDType](#)

properties  
 isRef 0  
 content complex  
 mixed 0


children [MITS:Identification](#) [MITS:Address](#) [MITS:Phone](#)

annotation  
 documentation  
 MITS PropertyID Core Data Module version 2.0

source  
 <xs:element name="PropertyID" type="MITS:PropertyIDType">  
 <xs:annotation>  
 <xs:documentation>MITS PropertyID Core Data Module version 2.0</xs:documentation>  
 </xs:annotation>  
 </xs:element>

### element CoreData/PropertyContacts

diagram




namespace <http://my-company.com/namespace>

type [MITS:PropertyContactsType](#)  
 properties isRef 0  
 content complex  
 children [MITS:CompanyInfo](#) [MITS:IndividualInfo](#)  
 annotation documentation  
 MITS PropertyContacts Core Data module version 2.0  
 source `<xs:element name="PropertyContacts" type="MITS:PropertyContactsType">  
 <xs:annotation>  
 <xs:documentation>MITS PropertyContacts Core Data module version 2.0</xs:documentation>  
 </xs:annotation>  
 </xs:element>`

### element CoreData/Customers

diagram




namespace <http://my-company.com/namespace>

type [MITS:CustomersType](#)  
 properties isRef 0  
 content complex  
 children [MITS:Customer](#)  
 annotation documentation  
 MITS Customers Core Data module version 2.0  
 source `<xs:element name="Customers" type="MITS:CustomersType">  
 <xs:annotation>  
 <xs:documentation>MITS Customers Core Data module version 2.0</xs:documentation>  
 </xs:annotation>  
 </xs:element>`

### element CoreData/Unit

diagram



namespace <http://my-company.com/namespace>

type [MITS:UnitType](#)  
 properties isRef 0  
 content complex  
 children [MITS:Information](#) [MITS:PropertyPrimaryID](#) [MITS:MarketingName](#)  
 annotation documentation  
 MITS Unit Core Data Module Version 2.0  
 source `<xs:element name="Unit" type="MITS:UnitType">  
 <xs:annotation>  
 <xs:documentation>MITS Unit Core Data Module Version 2.0</xs:documentation>  
 </xs:annotation>  
 </xs:element>`


```

</xs:annotation>
</xs:element>

```

## complexType AddressType

diagram



namespace <http://my-company.com/namespace>

children [MITS:Description](#) [MITS:Address1](#) [MITS:Address2](#) [MITS:City](#) [MITS:State](#) [MITS:Province](#) [MITS:PostalCode](#)  
[MITS:Country](#) [MITS:CountyName](#) [MITS:UnparsedAddress](#) [MITS:Email](#)

used by elements [PropertyIDType/Address](#) [PropertyContactsType/CompanyInfo/Address](#)  
[PropertyContactsType/IndividualInfo/Address](#)  
[UnitType/Information/Address](#) [CustomersType/Customer/Address](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	Type	<a href="#">MITS:addressinfo</a>	required			

```

source <xs:complexType name="AddressType">
  <xs:sequence>
    <xs:element name="Description" minOccurs="0">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="100"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="Address1" minOccurs="0">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="100"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="Address2" minOccurs="0" maxOccurs="10">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="100"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
  </xs:sequence>
</xs:complexType>

```


```

</xs:element>
<xs:element name="City" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="60"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="State" minOccurs="0">
  <xs:annotation>
    <xs:documentation>3 char State Code</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="3"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="Province" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="60"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="PostalCode" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="12"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="Country" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="CountyName" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="60"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="UnparsedAddress" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="200"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="Email" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="80"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:sequence>
<xs:attribute name="Type" type="MITS:addressinfo" use="required"/>
</xs:complexType>

```

element **AddressType/Description**

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple


facets

maxLength	100
-----------	-----

```
<xs:element name="Description" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

### element **AddressType/Address1**

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple


facets

maxLength	100
-----------	-----

```
<xs:element name="Address1" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

### element **AddressType/Address2**

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties

isRef	0
minOcc	0
maxOcc	10
content	simple

facets

maxLength	100
-----------	-----

```
<xs:element name="Address2" minOccurs="0" maxOccurs="10">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

</xs:element>

## element **AddressType/City**

diagram



namespace <http://my-company.com/namespace>

type **restriction of xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple

facets

maxLength	60
-----------	----

source

```
<xs:element name="City" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="60"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

## element **AddressType/State**

diagram



namespace <http://my-company.com/namespace>

type **restriction of xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple

facets

maxLength	3
-----------	---

annotation


documentation  
3 char State Code

source

```
<xs:element name="State" minOccurs="0">
  <xs:annotation>
    <xs:documentation>3 char State Code</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="3"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

## element **AddressType/Province**

diagram



namespace <http://my-company.com/namespace>

type **restriction of xs:string**

properties

isRef	0
minOcc	0
maxOcc	1

facets	content simple maxLength 60
source	<pre> &lt;xs:element name="Province" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="60"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>

### element AddressType/PostalCode




namespace	http://my-company.com/namespace
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1
facets	content simple maxLength 12
source	<pre> &lt;xs:element name="PostalCode" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="12"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>

### element AddressType/Country



namespace	http://my-company.com/namespace
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1
facets	content simple maxLength 50
source	<pre> &lt;xs:element name="Country" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="50"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>

### element AddressType/CountyName




namespace	http://my-company.com/namespace
type	restriction of <b>xs:string</b>



properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple
facets	maxLength	60
source	<pre> &lt;xs:element name="CountyName" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="60"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>	

## element AddressType/UnparsedAddress

diagram 

namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple
facets	maxLength	200

source 

```

<xs:element name="UnparsedAddress" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="200"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

## element AddressType/Email

diagram 

namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple
facets	maxLength	80

source 


```

<xs:element name="Email" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="80"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

## complexType CustomersType

diagram



namespace <http://my-company.com/namespace>

children [MITS:Customer](#)

used by element [CoreData/Customers](#)

```
<xs:complexType name="CustomersType">
  <xs:sequence>
    <xs:element name="Customer" maxOccurs="unbounded">
      <xs:complexType>
        <xs:sequence>
          <xs:element name="Description" minOccurs="0">
            <xs:simpleType>
              <xs:restriction base="xs:string">
                <xs:maxLength value="100"/>
              </xs:restriction>
            </xs:simpleType>
          </xs:element>
          <xs:element name="CustomerID">
            <xs:simpleType>
              <xs:restriction base="xs:string">
                <xs:maxLength value="50"/>
              </xs:restriction>
            </xs:simpleType>
          </xs:element>
          <xs:element name="Property" minOccurs="0">
            <xs:complexType>
              <xs:sequence>
                <xs:element name="PrimaryID">
                  <xs:simpleType>
                    <xs:restriction base="xs:string">
                      <xs:maxLength value="50"/>
                    </xs:restriction>
                  </xs:simpleType>
                </xs:element>
                <xs:element name="MarketingName">
                  <xs:simpleType>
                    <xs:restriction base="xs:string">
                      <xs:maxLength value="120"/>
                    </xs:restriction>
                  </xs:simpleType>
                </xs:element>
                <xs:element name="UnitID" minOccurs="0">
                  <xs:simpleType>
                    <xs:restriction base="xs:string">
                      <xs:maxLength value="50"/>
                    </xs:restriction>
                  </xs:simpleType>
                </xs:element>
                <xs:element name="BuildingID" minOccurs="0">
                  <xs:simpleType>
                    <xs:restriction base="xs:string">
                      <xs:maxLength value="50"/>
                    </xs:restriction>
                  </xs:simpleType>
                </xs:element>
              </xs:sequence>
            </xs:complexType>
          </xs:element>
          <xs:element name="Name">
            <xs:complexType>
              <xs:sequence>
```


```

<xs:element name="NamePrefix" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="FirstName">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="MiddleName" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="LastName">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="MaidenName" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="NameSuffix" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="Address" type="MITS:AddressType" minOccurs="0" maxOccurs="10"/>
<xs:element name="Phone" type="MITS:PhoneType" minOccurs="0" maxOccurs="10"/>
<xs:element name="Lease" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="CurrentRent" type="xs:decimal" minOccurs="0"/>
      <xs:element name="ExpectedMoveInDate" type="xs:date" minOccurs="0"/>
      <xs:element name="ExpectedMoveOutDate" type="xs:date" minOccurs="0"/>
      <xs:element name="LeaseFromDate" type="xs:date" minOccurs="0"/>
      <xs:element name="LeaseToDate" type="xs:date" minOccurs="0"/>
      <xs:element name="ActualMoveIn" type="xs:date" minOccurs="0"/>
      <xs:element name="ActualMoveOut" type="xs:date" minOccurs="0"/>
      <xs:element name="ResponsibleForLease" type="xs:boolean" minOccurs="0"/>
      <xs:element name="LeaseSignDate" type="xs:date" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:sequence>
<xs:attribute name="Type" type="MITS:customerinfo" use="required"/>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>

```

## element CustomersType/Customer

diagram



namespace <http://my-company.com/namespace>

properties  
 isRef 0  
 minOcc 1  
 maxOcc unbounded  
 content complex

children [MITS:Description](#) [MITS:CustomerID](#) [MITS:Property](#) [MITS:Name](#) [MITS:Address](#) [MITS:Phone](#) [MITS:Lease](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
		<a href="#">MITS:customer</a>	required			
		<a href="#">info</a>				

```

source <xs:element name="Customer" maxOccurs="unbounded">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Description" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="100"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="CustomerID">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="Property" minOccurs="0">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="PrimaryID">
              <xs:simpleType>
                <xs:restriction base="xs:string">
                  <xs:maxLength value="50"/>
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element name="MarketingName">
              <xs:simpleType>
                <xs:restriction base="xs:string">
                  <xs:maxLength value="120"/>
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element name="UnitID" minOccurs="0">
              <xs:simpleType>
  
```

```
<xs:restriction base="xs:string">
  <xs:maxLength value="50"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="BuildingID" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="Name">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="NamePrefix" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="FirstName">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="MiddleName" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="LastName">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="MaidenName" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="NameSuffix" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="Address" type="MITS:AddressType" minOccurs="0" maxOccurs="10"/>
<xs:element name="Phone" type="MITS:PhoneType" minOccurs="0" maxOccurs="10"/>
<xs:element name="Lease" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="CurrentRent" type="xs:decimal" minOccurs="0"/>
      <xs:element name="ExpectedMoveInDate" type="xs:date" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```


```

<xs:element name="ExpectedMoveOutDate" type="xs:date" minOccurs="0"/>
<xs:element name="LeaseFromDate" type="xs:date" minOccurs="0"/>
<xs:element name="LeaseToDate" type="xs:date" minOccurs="0"/>
<xs:element name="ActualMoveIn" type="xs:date" minOccurs="0"/>
<xs:element name="ActualMoveOut" type="xs:date" minOccurs="0"/>
<xs:element name="ResponsibleForLease" type="xs:boolean" minOccurs="0"/>
<xs:element name="LeaseSignDate" type="xs:date" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
<xs:attribute name="Type" type="MITS:customerinfo" use="required"/>
</xs:complexType>
</xs:element>

```

## element CustomersType/Customer/Description

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple
facets	maxLength	100

source


```

<xs:element name="Description" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

## element CustomersType/Customer/CustomerID

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties	isRef	0
	content	simple
facets	maxLength	50

source


```

<xs:element name="CustomerID">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

## element CustomersType/Customer/Property

diagram



namespace <http://my-company.com/namespace>


properties  
isRef 0  
minOcc 0  
maxOcc 1  
content complex

children [MITS:PrimaryID](#) [MITS:MarketingName](#) [MITS:UnitID](#) [MITS:BuildingID](#)

```
source <xs:element name="Property" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="PrimaryID">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="MarketingName">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="120"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="UnitID" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="BuildingID" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

## element CustomersType/Customer/Property/PrimaryID

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties  
isRef 0  
content simple

facets        maxLength    50

```
source <xs:element name="PrimaryID">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

## element CustomersType/Customer/Property/MarketingName

diagram



namespace    http://my-company.com/namespace


type        restriction of **xs:string**

properties    isRef    0  
              content    simple  
facets        maxLength    120

```
source <xs:element name="MarketingName">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="120"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

## element CustomersType/Customer/Property/UnitID

diagram



namespace    http://my-company.com/namespace


type        restriction of **xs:string**

properties    isRef    0  
              minOcc    0  
              maxOcc    1  
              content    simple  
facets        maxLength    50

```
source <xs:element name="UnitID" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

## element CustomersType/Customer/Property/BuildingID

diagram



namespace    http://my-company.com/namespace

type        restriction of **xs:string**

properties    isRef    0  
              minOcc    0  
              maxOcc    1




```

facets      content simple
           maxLength 50
source     <xs:element name="BuildingID" minOccurs="0">
           <xs:simpleType>
             <xs:restriction base="xs:string">
               <xs:maxLength value="50"/>
             </xs:restriction>
           </xs:simpleType>
         </xs:element>

```

## element CustomersType/Customer/Name

diagram



namespace <http://my-company.com/namespace>

properties  
 isRef 0  
 content complex

children [MITS:NamePrefix](#) [MITS:FirstName](#) [MITS:MiddleName](#) [MITS:LastName](#) [MITS:MaidenName](#) [MITS:NameSuffix](#)

```

source     <xs:element name="Name">
           <xs:complexType>
             <xs:sequence>
               <xs:element name="NamePrefix" minOccurs="0">
                 <xs:simpleType>
                   <xs:restriction base="xs:string">
                     <xs:maxLength value="50"/>
                   </xs:restriction>
                 </xs:simpleType>
               </xs:element>
               <xs:element name="FirstName">
                 <xs:simpleType>
                   <xs:restriction base="xs:string">
                     <xs:maxLength value="50"/>
                   </xs:restriction>
                 </xs:simpleType>
               </xs:element>
               <xs:element name="MiddleName" minOccurs="0">
                 <xs:simpleType>
                   <xs:restriction base="xs:string">
                     <xs:maxLength value="50"/>
                   </xs:restriction>
                 </xs:simpleType>
               </xs:element>
               <xs:element name="LastName">
                 <xs:simpleType>
                   <xs:restriction base="xs:string">
                     <xs:maxLength value="50"/>
                   </xs:restriction>
                 </xs:simpleType>
               </xs:element>
               <xs:element name="MaidenName" minOccurs="0">
                 <xs:simpleType>
                   <xs:restriction base="xs:string">

```


```

        <xs:maxLength value="50"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
</xs:element name="NameSuffix" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

```

### element CustomersType/Customer/Name/NamePrefix

diagram



namespace http://my-company.com/namespace

type restriction of **xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple

facets

maxLength	50
-----------	----

source

```

<xs:element name="NamePrefix" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

### element CustomersType/Customer/Name/FirstName

diagram



namespace http://my-company.com/namespace

type restriction of **xs:string**

properties

isRef	0
content	simple

facets

maxLength	50
-----------	----

source


```

<xs:element name="FirstName">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

### element CustomersType/Customer/Name/MiddleName

diagram



namespace http://my-company.com/namespace

type restriction of **xs:string**  
 properties isRef 0  
 minOcc 0  
 maxOcc 1  
 content simple  
 facets maxLength 50  
 source `<xs:element name="MiddleName" minOccurs="0">`  
   `<xs:simpleType>`  
     `<xs:restriction base="xs:string">`  
       `<xs:maxLength value="50"/>`  
     `</xs:restriction>`  
   `</xs:simpleType>`  
  `</xs:element>`

### element **CustomersType/Customer/Name/LastName**

diagram 

namespace http://my-company.com/namespace

type restriction of **xs:string**  
 properties isRef 0  
 content simple  
 facets maxLength 50

source `<xs:element name="LastName">`  
   `<xs:simpleType>`  
     `<xs:restriction base="xs:string">`  
       `<xs:maxLength value="50"/>`  
     `</xs:restriction>`  
   `</xs:simpleType>`  
  `</xs:element>`

### element **CustomersType/Customer/Name/MaidenName**


diagram 

namespace http://my-company.com/namespace

type restriction of **xs:string**  
 properties isRef 0  
 minOcc 0  
 maxOcc 1  
 content simple  
 facets maxLength 50

source `<xs:element name="MaidenName" minOccurs="0">`  
   `<xs:simpleType>`  
     `<xs:restriction base="xs:string">`  
       `<xs:maxLength value="50"/>`  
     `</xs:restriction>`  
   `</xs:simpleType>`  
  `</xs:element>`

### element **CustomersType/Customer/Name/NameSuffix**

diagram 

```

namespace http://my-company.com/namespace


type restriction of xs:string
properties
  isRef 0
  minOcc 0
  maxOcc 1
  content simple
facets
  maxLength 50

source <xs:element name="NameSuffix" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

### element CustomersType/Customer/Address

diagram



```

namespace http://my-company.com/namespace

type MITS:AddressType
properties
  isRef 0
  minOcc 0
  maxOcc 10
  content complex

children MITS:Description MITS:Address1 MITS:Address2 MITS:City MITS:State MITS:Province MITS:PostalCode
MITS:Country MITS:CountyName MITS:UnparsedAddress MITS:Email


attributes
  Name      Type      Use      Default      Fixed      Annotation
  Type      MITS:addressinfo required

source <xs:element name="Address" type="MITS:AddressType" minOccurs="0" maxOccurs="10"/>

```

## element CustomersType/Customer/Phone

diagram



namespace <http://my-company.com/namespace>

type [MITS:PhoneType](#)

properties  
 isRef 0  
 minOcc 0  
 maxOcc 10  
 content complex


children [MITS:PhoneDescription](#) [MITS:PhoneNumber](#) [MITS:Extension](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	Type	<a href="#">MITS:phoneinf</a>	required			

source `<xs:element name="Phone" type="MITS:PhoneType" minOccurs="0" maxOccurs="10"/>`

## element CustomersType/Customer/Lease

diagram



namespace <http://my-company.com/namespace>

properties  
 isRef 0  
 minOcc 0  
 maxOcc 1  
 content complex

children [MITS:CurrentRent](#) [MITS:ExpectedMoveInDate](#) [MITS:ExpectedMoveOutDate](#) [MITS:LeaseFromDate](#)  
[MITS:LeaseToDate](#) [MITS:ActualMoveIn](#) [MITS:ActualMoveOut](#) [MITS:ResponsibleForLease](#) [MITS:LeaseSignDate](#)

source `<xs:element name="Lease" minOccurs="0">  
 <xs:complexType>  
 <xs:sequence>  
 <xs:element name="CurrentRent" type="xs:decimal" minOccurs="0"/>  
 <xs:element name="ExpectedMoveInDate" type="xs:date" minOccurs="0"/>`


```

<xs:element name="ExpectedMoveOutDate" type="xs:date" minOccurs="0"/>
<xs:element name="LeaseFromDate" type="xs:date" minOccurs="0"/>
<xs:element name="LeaseToDate" type="xs:date" minOccurs="0"/>
<xs:element name="ActualMoveIn" type="xs:date" minOccurs="0"/>
<xs:element name="ActualMoveOut" type="xs:date" minOccurs="0"/>
<xs:element name="ResponsibleForLease" type="xs:boolean" minOccurs="0"/>
<xs:element name="LeaseSignDate" type="xs:date" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
</xs:element>

```

### element CustomersType/Customer/Lease/CurrentRent

diagram



namespace http://my-company.com/namespace


type **xs:decimal**

properties  
 isRef 0  
 minOcc 0  
 maxOcc 1  
 content simple

source <xs:element name="CurrentRent" type="xs:decimal" minOccurs="0"/>

### element CustomersType/Customer/Lease/ExpectedMoveInDate

diagram



namespace http://my-company.com/namespace


type **xs:date**

properties  
 isRef 0  
 minOcc 0  
 maxOcc 1  
 content simple

source <xs:element name="ExpectedMoveInDate" type="xs:date" minOccurs="0"/>

### element CustomersType/Customer/Lease/ExpectedMoveOutDate

diagram



namespace http://my-company.com/namespace


type **xs:date**

properties  
 isRef 0  
 minOcc 0  
 maxOcc 1  
 content simple

source <xs:element name="ExpectedMoveOutDate" type="xs:date" minOccurs="0"/>

### element CustomersType/Customer/Lease/LeaseFromDate


diagram



namespace http://my-company.com/namespace

type **xs:date**  
properties isRef 0  
minOcc 0  
maxOcc 1  
content simple  
source `<xs:element name="LeaseFromDate" type="xs:date" minOccurs="0"/>`


#### element **CustomersType/Customer/Lease/LeaseToDate**



namespace `http://my-company.com/namespace`

type **xs:date**  
properties isRef 0  
minOcc 0  
maxOcc 1  
content simple  
source `<xs:element name="LeaseToDate" type="xs:date" minOccurs="0"/>`


#### element **CustomersType/Customer/Lease/ActualMoveIn**



namespace `http://my-company.com/namespace`

type **xs:date**  
properties isRef 0  
minOcc 0  
maxOcc 1  
content simple  
source `<xs:element name="ActualMoveIn" type="xs:date" minOccurs="0"/>`


#### element **CustomersType/Customer/Lease/ActualMoveOut**



namespace `http://my-company.com/namespace`

type **xs:date**  
properties isRef 0  
minOcc 0  
maxOcc 1  
content simple  
source `<xs:element name="ActualMoveOut" type="xs:date" minOccurs="0"/>`

#### element **CustomersType/Customer/Lease/ResponsibleForLease**



namespace `http://my-company.com/namespace`


type **xs:boolean**  
properties isRef 0  
minOcc 0

```

maxOcc 1
content simple
source <xs:element name="ResponsibleForLease" type="xs:boolean" minOccurs="0"/>

```

## element CustomersType/Customer/Lease/LeaseSignDate



namespace <http://my-company.com/namespace>

type **xs:date**

properties


isRef	0
minOcc	0
maxOcc	1
content	simple

```

source <xs:element name="LeaseSignDate" type="xs:date" minOccurs="0"/>

```

## complexType PhoneType



namespace <http://my-company.com/namespace>

children [MITS:PhoneDescription](#) [MITS:PhoneNumber](#) [MITS:Extension](#)

used by

elements	<a href="#">PropertyIDType/Phone</a> <a href="#">PropertyContactsType/CompanyInfo/Phone</a> <a href="#">PropertyContactsType/IndividualInfo/Phone</a> <a href="#">CustomersType/Customer/Phone</a>
----------	---

attributes	Name	Type	Use	Default	Fixed	Annotation
	Type	<a href="#">MITS:phoneinfo</a>	required			

```


source <xs:complexType name="PhoneType">
  <xs:sequence>
    <xs:element name="PhoneDescription" minOccurs="0">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="50"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="PhoneNumber" minOccurs="0">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="20"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="Extension" minOccurs="0">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="20"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
  </xs:sequence>
  <xs:attribute name="Type" type="MITS:phoneinfo" use="required"/>
</xs:complexType>

```



## element PhoneType/PhoneDescription

diagram



namespace `http://my-company.com/namespace`

type restriction of **xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple


facets

maxLength	50
-----------	----

```
<xs:element name="PhoneDescription" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

## element PhoneType/PhoneNumber

diagram



namespace `http://my-company.com/namespace`

type restriction of **xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple


facets

maxLength	20
-----------	----

```
<xs:element name="PhoneNumber" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="20"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

## element PhoneType/Extension

diagram



namespace `http://my-company.com/namespace`

type restriction of **xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple

facets

maxLength	20
-----------	----

```
<xs:element name="Extension" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="20"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```


```

</xs:restriction>
</xs:simpleType>
</xs:element>

```

## complexType PropertyContactsType

diagram



namespace <http://my-company.com/namespace>

children [MITS:CompanyInfo](#) [MITS:IndividualInfo](#)

used by element [CoreData/PropertyContacts](#)

```

source <xs:complexType name="PropertyContactsType">
  <xs:sequence>
    <xs:element name="CompanyInfo" minOccurs="0" maxOccurs="10">
      <xs:complexType>
        <xs:sequence>
          <xs:element name="CompanyID">
            <xs:simpleType>
              <xs:restriction base="xs:string">
                <xs:maxLength value="50"/>
              </xs:restriction>
            </xs:simpleType>
          </xs:element>
          <xs:element name="ContactDescription" minOccurs="0">
            <xs:simpleType>
              <xs:restriction base="xs:string">
                <xs:maxLength value="50"/>
              </xs:restriction>
            </xs:simpleType>
          </xs:element>
          <xs:element name="ContactName" minOccurs="0">
            <xs:simpleType>
              <xs:restriction base="xs:string">
                <xs:maxLength value="50"/>
              </xs:restriction>
            </xs:simpleType>
          </xs:element>
          <xs:element name="Address" type="MITS:AddressType" minOccurs="0" maxOccurs="10"/>
          <xs:element name="WebSite" minOccurs="0">
            <xs:simpleType>
              <xs:restriction base="xs:string">
                <xs:maxLength value="100"/>
              </xs:restriction>
            </xs:simpleType>
          </xs:element>
          <xs:element name="Logo" minOccurs="0">
            <xs:simpleType>
              <xs:restriction base="xs:string">
                <xs:maxLength value="100"/>
              </xs:restriction>
            </xs:simpleType>
          </xs:element>
          <xs:element name="Phone" type="MITS:PhoneType" minOccurs="0" maxOccurs="10"/>
        </xs:sequence>
        <xs:attribute name="Type" type="MITS:propertycontactsinfo" use="required"/>
      </xs:complexType>
    </xs:element>
    <xs:element name="IndividualInfo" minOccurs="0" maxOccurs="10">
      <xs:complexType>
        <xs:sequence>

```


```

<xs:element name="CompanyID" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="ContactDescription" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="FirstName" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="LastName" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="Address" type="MITS:AddressType" minOccurs="0" maxOccurs="10"/>
<xs:element name="Phone" type="MITS:PhoneType" minOccurs="0" maxOccurs="10"/>
</xs:sequence>
<xs:attribute name="Type" type="MITS:propertycontactsinfo" use="required"/>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>

```

## element **PropertyContactsType/CompanyInfo**

diagram



namespace <http://my-company.com/namespace>

properties


isRef	0
minOcc	0
maxOcc	10
content	complex

children [MITS:CompanyID](#) [MITS:ContactDescription](#) [MITS:ContactName](#) [MITS:Address](#) [MITS:WebSite](#) [MITS:Logo](#) [MITS:Phone](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	Type	<a href="#">MITS:propertycontactsinfo</a>	required			
source		<pre> &lt;xs:element name="CompanyInfo" minOccurs="0" maxOccurs="10"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element name="CompanyID"&gt;         &lt;xs:simpleType&gt;           &lt;xs:restriction base="xs:string"&gt;             &lt;xs:maxLength value="50"/&gt;           &lt;/xs:restriction&gt;         &lt;/xs:simpleType&gt;       &lt;/xs:element&gt;       &lt;xs:element name="ContactDescription" minOccurs="0"&gt;         &lt;xs:simpleType&gt;           &lt;xs:restriction base="xs:string"&gt;             &lt;xs:maxLength value="50"/&gt;           &lt;/xs:restriction&gt;         &lt;/xs:simpleType&gt;       &lt;/xs:element&gt;       &lt;xs:element name="ContactName" minOccurs="0"&gt;         &lt;xs:simpleType&gt;           &lt;xs:restriction base="xs:string"&gt;             &lt;xs:maxLength value="50"/&gt;           &lt;/xs:restriction&gt;         &lt;/xs:simpleType&gt;       &lt;/xs:element&gt;       &lt;xs:element name="Address" type="MITS:AddressType" minOccurs="0" maxOccurs="10"/&gt;       &lt;xs:element name="WebSite" minOccurs="0"&gt;         &lt;xs:simpleType&gt;           &lt;xs:restriction base="xs:string"&gt;             &lt;xs:maxLength value="100"/&gt;           &lt;/xs:restriction&gt;         &lt;/xs:simpleType&gt;       &lt;/xs:element&gt;       &lt;xs:element name="Logo" minOccurs="0"&gt;         &lt;xs:simpleType&gt;           &lt;xs:restriction base="xs:string"&gt;             &lt;xs:maxLength value="100"/&gt;           &lt;/xs:restriction&gt;         &lt;/xs:simpleType&gt;       &lt;/xs:element&gt;       &lt;xs:element name="Phone" type="MITS:PhoneType" minOccurs="0" maxOccurs="10"/&gt;     &lt;/xs:sequence&gt;     &lt;xs:attribute name="Type" type="MITS:propertycontactsinfo" use="required"/&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>				

## element PropertyContactsType/CompanyInfo/CompanyID

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties isRef 0  
content simple

facets maxLength 50

source 


```

<xs:element name="CompanyID">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

## element **PropertyContactsType/CompanyInfo/ContactDescription**

diagram



namespace `http://my-company.com/namespace`

type restriction of **xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple


facets

maxLength	50
-----------	----

```
<xs:element name="ContactDescription" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

## element **PropertyContactsType/CompanyInfo/ContactName**

diagram



namespace `http://my-company.com/namespace`

type restriction of **xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple


facets

maxLength	50
-----------	----

```
<xs:element name="ContactName" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

## element PropertyContactsType/CompanyInfo/Address

diagram



namespace <http://my-company.com/namespace>

type [MITS:AddressType](#)

properties

isRef	0
minOcc	0
maxOcc	10
content	complex


children [MITS:Description](#) [MITS:Address1](#) [MITS:Address2](#) [MITS:City](#) [MITS:State](#) [MITS:Province](#) [MITS:PostalCode](#)  
[MITS:Country](#) [MITS:CountyName](#) [MITS:UnparsedAddress](#) [MITS:Email](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	Type	<a href="#">MITS:addressin</a>	required			
		<a href="#">fo</a>				

source `<xs:element name="Address" type="MITS:AddressType" minOccurs="0" maxOccurs="10"/>`

## element PropertyContactsType/CompanyInfo/WebSite

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple

facets

maxLength	100
-----------	-----

```

source <xs:element name="WebSite" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

### element PropertyContactsType/CompanyInfo/Logo



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties isRef 0  
 minOcc 0  
 maxOcc 1  
 content simple


facets maxLength 100

```

source <xs:element name="Logo" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

### element PropertyContactsType/CompanyInfo/Phone



namespace <http://my-company.com/namespace>

type **MITS:PhoneType**

properties isRef 0  
 minOcc 0  
 maxOcc 10  
 content complex

children [MITS:PhoneDescription](#) [MITS:PhoneNumber](#) [MITS:Extension](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	Type	<a href="#">MITS:phoneinf</a>	required			


```

source <xs:element name="Phone" type="MITS:PhoneType" minOccurs="0" maxOccurs="10"/>

```

## element PropertyContactsType/IndividualInfo

diagram



namespace <http://my-company.com/namespace>

properties  
 isRef 0  
 minOcc 0  
 maxOcc 10  
 content complex

children [MITS:CompanyID](#) [MITS:ContactDescription](#) [MITS:FirstName](#) [MITS:LastName](#) [MITS:Address](#) [MITS:Phone](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	Type	<a href="#">MITS:propertycontactsinfo</a>	required			

```

source <xs:element name="IndividualInfo" minOccurs="0" maxOccurs="10">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="CompanyID" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="ContactDescription" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="FirstName" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="LastName" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="Address" type="MITS:AddressType" minOccurs="0" maxOccurs="10"/>
      <xs:element name="Phone" type="MITS:PhoneType" minOccurs="0" maxOccurs="10"/>
    </xs:sequence>
    <xs:attribute name="Type" type="MITS:propertycontactsinfo" use="required"/>
  </xs:complexType>
</xs:element>
  
```



## element **PropertyContactsType/IndividualInfo/CompanyID**

diagram



namespace `http://my-company.com/namespace`

type restriction of **xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple


facets

maxLength	50
-----------	----

```
<xs:element name="CompanyID" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

## element **PropertyContactsType/IndividualInfo/ContactDescription**

diagram



namespace `http://my-company.com/namespace`

type restriction of **xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple

facets

maxLength	50
-----------	----

```
<xs:element name="ContactDescription" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

## element **PropertyContactsType/IndividualInfo/FirstName**

diagram



namespace `http://my-company.com/namespace`

type restriction of **xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple

facets

maxLength	50
-----------	----

```
<xs:element name="FirstName" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```

</xs:restriction>
</xs:simpleType>
</xs:element>

```

### element PropertyContactsType/IndividualInfo/LastName

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties  
 isRef 0  
 minOcc 0  
 maxOcc 1  
 content simple  
 facets  
 maxLength 50


```

source <xs:element name="LastName" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

### element PropertyContactsType/IndividualInfo/Address

diagram



namespace <http://my-company.com/namespace>

type [MITS:AddressType](#)

properties isRef 0  
 minOcc 0  
 maxOcc 10  
 content complex


children [MITS:Description](#) [MITS:Address1](#) [MITS:Address2](#) [MITS:City](#) [MITS:State](#) [MITS:Province](#) [MITS:PostalCode](#)  
[MITS:Country](#) [MITS:CountyName](#) [MITS:UnparsedAddress](#) [MITS:Email](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	Type	<a href="#">MITS:addressinfo</a>	required			

source `<xs:element name="Address" type="MITS:AddressType" minOccurs="0" maxOccurs="10"/>`

### element PropertyContactsType/IndividualInfo/Phone

diagram



namespace `http://my-company.com/namespace`


type [MITS:PhoneType](#)

properties isRef 0  
 minOcc 0  
 maxOcc 10  
 content complex

children [MITS:PhoneDescription](#) [MITS:PhoneNumber](#) [MITS:Extension](#)

### complexType PropertyIDType

diagram



namespace `http://my-company.com/namespace`

properties mixed 0

children [MITS:Identification](#) [MITS:Address](#) [MITS:Phone](#)

used by element [CoreData/PropertyID](#)

source `<xs:complexType name="PropertyIDType" mixed="0">  
 <xs:sequence>  
 <xs:element name="Identification" minOccurs="0">  
 <xs:complexType>  
 <xs:sequence>  
 <xs:element name="PrimaryID">  
 <xs:simpleType>`


```

    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
      <xs:minLength value="0"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="SecondaryID" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="MarketingName">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="120"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="LegalName" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="120"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="APN" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="40"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="MSA_Number" type="xs:integer" minOccurs="0"/>
<xs:element name="MSA_Name" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="60"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="StructureDescription" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="WebSite" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:sequence>
<xs:attribute name="Type" type="MITS:propertyidinfo" use="required"/>
</xs:complexType>
</xs:element>
<xs:element name="Address" type="MITS:AddressType" minOccurs="0" maxOccurs="10"/>
<xs:element name="Phone" type="MITS:PhoneType" minOccurs="0" maxOccurs="10"/>
</xs:sequence>
</xs:complexType>

```

element **PropertyIDType/Identification**

diagram



namespace <http://my-company.com/namespace>

properties  
 isRef 0  
 minOcc 0  
 maxOcc 1  
 content complex

children [MITS:PrimaryID](#) [MITS:SecondaryID](#) [MITS:MarketingName](#) [MITS:LegalName](#) [MITS:APN](#) [MITS:MSA\\_Number](#)  
[MITS:MSA\\_Name](#) [MITS:StructureDescription](#) [MITS:WebSite](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	Type	<a href="#">MITS:propertyinfo</a>	required			

```

source <xs:element name="Identification" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="PrimaryID">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
            <xs:minLength value="0"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="SecondaryID" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="MarketingName">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="120"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="LegalName" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="120"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="APN" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
          
```

```

        <xs:maxLength value="40"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="MSA_Number" type="xs:integer" minOccurs="0"/>
  <xs:element name="MSA_Name" minOccurs="0">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:maxLength value="60"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="StructureDescription" minOccurs="0">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:maxLength value="100"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="WebSite" minOccurs="0">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:maxLength value="100"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
</xs:sequence>
<xs:attribute name="Type" type="MITS:propertyidinfo" use="required"/>
</xs:complexType>
</xs:element>

```

## element PropertyIDType/Identification/PrimaryID

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties	isRef	0
	content	simple
facets	minLength	0
	maxLength	50

source


```

<xs:element name="PrimaryID">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
      <xs:minLength value="0"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

## element PropertyIDType/Identification/SecondaryID

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple

facets      maxLength    50

source    <xs:element name="SecondaryID" minOccurs="0">  
           <xs:simpleType>  
             <xs:restriction base="xs:string">  
               <xs:maxLength value="50"/>  
             </xs:restriction>  
           </xs:simpleType>  
         </xs:element>

### element PropertyIDType/Identification/MarketingName

diagram    

namespace    http://my-company.com/namespace

type          restriction of **xs:string**

properties    isRef    0  
               content    simple

facets        maxLength    120

source        <xs:element name="MarketingName">  
               <xs:simpleType>  
               <xs:restriction base="xs:string">  
                <xs:maxLength value="120"/>  
               </xs:restriction>  
               </xs:simpleType>  
           </xs:element>

### element PropertyIDType/Identification/LegalName

diagram    

namespace    http://my-company.com/namespace


type          restriction of **xs:string**

properties    isRef    0  
               minOcc    0  
               maxOcc    1  
               content    simple

facets        maxLength    120

source        <xs:element name="LegalName" minOccurs="0">  
               <xs:simpleType>  
               <xs:restriction base="xs:string">  
                <xs:maxLength value="120"/>  
               </xs:restriction>  
               </xs:simpleType>  
           </xs:element>

### element PropertyIDType/Identification/APN

diagram    

namespace    http://my-company.com/namespace

type          restriction of **xs:string**

properties    isRef    0  
               minOcc    0  
               maxOcc    1

facets	content simple maxLength 40
source	<pre> &lt;xs:element name="APN" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="40"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>

### element PropertyIDType/Identification/MSA\_Number

diagram 

namespace http://my-company.com/namespace

type	<b>xs:integer</b>								
properties	<table> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
source	<pre>&lt;xs:element name="MSA_Number" type="xs:integer" minOccurs="0"/&gt;</pre>								


### element PropertyIDType/Identification/MSA\_Name

diagram 

namespace http://my-company.com/namespace

type	restriction of <b>xs:string</b>								
properties	<table> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	maxLength 60								
source	<pre> &lt;xs:element name="MSA_Name" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="60"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>								

### element PropertyIDType/Identification/StructureDescription

diagram 

namespace http://my-company.com/namespace

type	restriction of <b>xs:string</b>								
properties	<table> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	maxLength 100								
source	<pre>&lt;xs:element name="StructureDescription" minOccurs="0"&gt;</pre>								




```

<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:maxLength value="100"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>

```

### element PropertyIDType/Identification/WebSite

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties  
 isRef 0  
 minOcc 0  
 maxOcc 1  
 content simple

facets  
 maxLength 100

source 


```

<xs:element name="WebSite" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

### element PropertyIDType/Address

diagram



namespace <http://my-company.com/namespace>

type [MITS:AddressType](#)

properties
 

isRef	0
minOcc	0
maxOcc	10
content	complex

children [MITS:Description](#) [MITS:Address1](#) [MITS:Address2](#) [MITS:City](#) [MITS:State](#) [MITS:Province](#) [MITS:PostalCode](#) [MITS:Country](#) [MITS:CountyName](#) [MITS:UnparsedAddress](#) [MITS:Email](#)


attributes
 

Name	Type	Use	Default	Fixed	Annotation
Type	<a href="#">MITS:addressinfo</a>	required			

source `<xs:element name="Address" type="MITS:AddressType" minOccurs="0" maxOccurs="10"/>`

### element PropertyIDType/Phone

diagram



namespace <http://my-company.com/namespace>

type [MITS:PhoneType](#)

properties
 

isRef	0
minOcc	0
maxOcc	10
content	complex

children [MITS:PhoneDescription](#) [MITS:PhoneNumber](#) [MITS:Extension](#)


attributes
 

Name	Type	Use	Default	Fixed	Annotation
Type	<a href="#">MITS:phoneinfo</a>	required			

source `<xs:element name="Phone" type="MITS:PhoneType" minOccurs="0" maxOccurs="10"/>`

### complexType UnitType

diagram



namespace <http://my-company.com/namespace>

children [MITS:Information](#) [MITS:PropertyPrimaryID](#) [MITS:MarketingName](#)

used by element [CoreData/Unit](#)

source `<xs:complexType name="UnitType">
 <xs:sequence>
 <xs:element name="Information" maxOccurs="unbounded">
 <xs:complexType>
 <xs:sequence>
 <xs:element name="UnitID">
 <xs:simpleType>
 <xs:restriction base="xs:string">`

```

    <xs:minLength value="0"/>
    <xs:maxLength value="50"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="UnitType" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="0"/>
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="UnitBedrooms" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:decimal">
      <xs:fractionDigits value="2"/>
      <xs:totalDigits value="4"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="UnitBathrooms" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:decimal">
      <xs:totalDigits value="4"/>
      <xs:fractionDigits value="2"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="MinSquareFeet" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:totalDigits value="5"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="MaxSquareFeet" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:totalDigits value="5"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="SquareFootType" type="MITS:unitsqftinfo" minOccurs="0"/>
<xs:element name="UnitRent" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:decimal">
      <xs:totalDigits value="7"/>
      <xs:fractionDigits value="2"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="MarketRent" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:decimal">
      <xs:totalDigits value="7"/>
      <xs:fractionDigits value="2"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="UnitEconomicStatus" type="MITS:uniteconstatusinfo" minOccurs="0"/>
<xs:element name="UnitEconomicStatusDescription" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="UnitOccupancyStatus" type="MITS:unitoccpstatusinfo" minOccurs="0"/>
<xs:element name="UnitLeasedStatus" type="MITS:unitleasestatusinfo" minOccurs="0"/>

```


```

<xs:element name="UnitLeasedStatusDescription" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="FloorPlanID" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="FloorplanName" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="PhaseID" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="PhaseName" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="BuildingID" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="BuildingName" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="Address" type="MITS:AddressType" minOccurs="0" maxOccurs="10"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="PropertyPrimaryID">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="MarketingName">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="120"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>

```

element **UnitType/Information**

diagram



namespace <http://my-company.com/namespace>

properties  
 isRef 0  
 minOcc 1  
 maxOcc unbounded  
 content complex

children [MITS:UnitID](#) [MITS:UnitType](#) [MITS:UnitBedrooms](#) [MITS:UnitBathrooms](#) [MITS:MinSquareFeet](#) [MITS:MaxSquareFeet](#) [MITS:SquareFootType](#) [MITS:UnitRent](#) [MITS:MarketRent](#) [MITS:UnitEconomicStatus](#) [MITS:UnitEconomicStatusDescription](#) [MITS:UnitOccupancyStatus](#) [MITS:UnitLeasedStatus](#) [MITS:UnitLeasedStatusDescription](#) [MITS:FloorPlanID](#) [MITS:FloorplanName](#) [MITS:PhaseID](#) [MITS:PhaseName](#) [MITS:BuildingID](#) [MITS:BuildingName](#) [MITS:Address](#)

```

source <xs:element name="Information" maxOccurs="unbounded">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="UnitID">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:minLength value="0"/>
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="UnitType" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:minLength value="0"/>
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="UnitBedrooms" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:decimal">
            <xs:fractionDigits value="2"/>
            <xs:totalDigits value="4"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="UnitBathrooms" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:decimal">
            <xs:totalDigits value="4"/>
            <xs:fractionDigits value="2"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="MinSquareFeet" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:integer">
            <xs:totalDigits value="5"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="MaxSquareFeet" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:integer">
            <xs:totalDigits value="5"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="SquareFootType" type="MITS:unitsqftinfo" minOccurs="0"/>
      <xs:element name="UnitRent" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:decimal">
            <xs:totalDigits value="7"/>
            <xs:fractionDigits value="2"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="MarketRent" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:decimal">
            <xs:totalDigits value="7"/>
            <xs:fractionDigits value="2"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="UnitEconomicStatus" type="MITS:uniteconstatusinfo" minOccurs="0"/>
      <xs:element name="UnitEconomicStatusDescription" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">

```


```

        <xs:maxLength value="100"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="UnitOccupancyStatus" type="MITS:unitoccpstatusinfo" minOccurs="0"/>
  <xs:element name="UnitLeasedStatus" type="MITS:unitleasestatusinfo" minOccurs="0"/>
  <xs:element name="UnitLeasedStatusDescription" minOccurs="0">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:maxLength value="100"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="FloorPlanID" minOccurs="0">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:maxLength value="50"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="FloorplanName" minOccurs="0">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:maxLength value="50"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="PhaseID" minOccurs="0">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:maxLength value="50"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="PhaseName" minOccurs="0">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:maxLength value="50"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="BuildingID" minOccurs="0">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:maxLength value="50"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="BuildingName" minOccurs="0">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:maxLength value="50"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="Address" type="MITS:AddressType" minOccurs="0" maxOccurs="10"/>
</xs:sequence>
</xs:complexType>
</xs:element>

```

## element **UnitType/Information/UnitID**

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**


properties	isRef	0
	content	simple
facets	minLength	0
	maxLength	50
source	<pre> &lt;xs:element name="UnitID"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:minLength value="0"/&gt;       &lt;xs:maxLength value="50"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>	

## element **UnitType/Information/UnitType**



namespace	http://my-company.com/namespace	
type	restriction of <b>xs:string</b>	
properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple
facets	minLength	0
	maxLength	50
source	<pre> &lt;xs:element name="UnitType" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:minLength value="0"/&gt;       &lt;xs:maxLength value="50"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>	

## element **UnitType/Information/UnitBedrooms**



namespace	http://my-company.com/namespace	
type	restriction of <b>xs:decimal</b>	
properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple
facets	totalDigits	4
	fractionDigits	2
source	<pre> &lt;xs:element name="UnitBedrooms" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:decimal"&gt;       &lt;xs:fractionDigits value="2"/&gt;       &lt;xs:totalDigits value="4"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>	



## element **UnitType/Information/UnitBathrooms**

diagram



namespace `http://my-company.com/namespace`

type **restriction of xs:decimal**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple


facets

totalDigits	4
fractionDigits	2

```
<xs:element name="UnitBathrooms" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:decimal">
      <xs:totalDigits value="4"/>
      <xs:fractionDigits value="2"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

## element **UnitType/Information/MinSquareFeet**

diagram



namespace `http://my-company.com/namespace`

type **restriction of xs:integer**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple


facets

totalDigits	5
-------------	---

```
<xs:element name="MinSquareFeet" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:totalDigits value="5"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

## element **UnitType/Information/MaxSquareFeet**

diagram



namespace `http://my-company.com/namespace`

type **restriction of xs:integer**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple

facets

totalDigits	5
-------------	---


```
<xs:element name="MaxSquareFeet" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
```

```

    <xs:totalDigits value="5"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>

```

## element **UnitType/Information/SquareFootType**

diagram 

namespace <http://my-company.com/namespace>

type [MITS:unitsqftinfo](#)

properties

isRef	0
minOcc	0
maxOcc	1
content	simple

facets

enumeration	internal
enumeration	external

source `<xs:element name="SquareFootType" type="MITS:unitsqftinfo" minOccurs="0"/>`

## element **UnitType/Information/UnitRent**

diagram 

namespace <http://my-company.com/namespace>

type restriction of **xs:decimal**

properties


isRef	0
minOcc	0
maxOcc	1
content	simple

facets

totalDigits	7
fractionDigits	2

source `<xs:element name="UnitRent" minOccurs="0">`  
`<xs:simpleType>`  
`<xs:restriction base="xs:decimal">`  
`<xs:totalDigits value="7"/>`  
`<xs:fractionDigits value="2"/>`  
`</xs:restriction>`  
`</xs:simpleType>`  
`</xs:element>`

## element **UnitType/Information/MarketRent**

diagram 

namespace <http://my-company.com/namespace>

type restriction of **xs:decimal**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple

facets

totalDigits	7
fractionDigits	2

source `<xs:element name="MarketRent" minOccurs="0">`  
`<xs:simpleType>`  
`<xs:restriction base="xs:decimal">`  
`<xs:totalDigits value="7"/>`

```

    <xs:fractionDigits value="2"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>

```

## element **UnitType/Information/UnitEconomicStatus**

diagram 


namespace <http://my-company.com/namespace>

type [MITS:uniteconstatusinfo](#)

properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple
facets	enumeration	residential
	enumeration	commercial
	enumeration	down
	enumeration	model
	enumeration	employee
	enumeration	construction
	enumeration	office
	enumeration	other

source `<xs:element name="UnitEconomicStatus" type="MITS:uniteconstatusinfo" minOccurs="0"/>`

## element **UnitType/Information/UnitEconomicStatusDescription**

diagram 


namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple
facets	maxLength	100

source `<xs:element name="UnitEconomicStatusDescription" minOccurs="0">
 <xs:simpleType>
 <xs:restriction base="xs:string">
 <xs:maxLength value="100"/>
 </xs:restriction>
 </xs:simpleType>
</xs:element>`

## element **UnitType/Information/UnitOccupancyStatus**

diagram 

namespace <http://my-company.com/namespace>

type [MITS:unitoccpstatusinfo](#)

properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple
facets	enumeration	occupied
	enumeration	vacant

source `<xs:element name="UnitOccupancyStatus" type="MITS:unitoccstatusinfo" minOccurs="0"/>`

## element **UnitType/Information/UnitLeasedStatus**

diagram 

namespace `http://my-company.com/namespace`

type [MITS:unitleasestatusinfo](#)

properties


isRef	0
minOcc	0
maxOcc	1
content	simple

facets

enumeration	leased
enumeration	available
enumeration	approved
enumeration	reserved
enumeration	not ready
enumeration	on notice
enumeration	leased on notice
enumeration	leased reserved
enumeration	other

source `<xs:element name="UnitLeasedStatus" type="MITS:unitleasestatusinfo" minOccurs="0"/>`

## element **UnitType/Information/UnitLeasedStatusDescription**

diagram 

namespace `http://my-company.com/namespace`

type restriction of `xs:string`

properties

isRef	0
minOcc	0
maxOcc	1
content	simple

facets

maxLength	100
-----------	-----

source `<xs:element name="UnitLeasedStatusDescription" minOccurs="0">  
<xs:simpleType>  
<xs:restriction base="xs:string">  
<xs:maxLength value="100"/>  
</xs:restriction>  
</xs:simpleType>  
</xs:element>`

## element **UnitType/Information/FloorPlanID**

diagram 

namespace `http://my-company.com/namespace`

type restriction of `xs:string`

properties

isRef	0
minOcc	0
maxOcc	1
content	simple

facets

maxLength	50
-----------	----

source `<xs:element name="FloorPlanID" minOccurs="0">`

```

<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:maxLength value="50"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>

```

### element **UnitType/Information/FloorplanName**

diagram 

namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple
facets	maxLength	50

source 

```

<xs:element name="FloorplanName" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

### element **UnitType/Information/PhaseID**

diagram 

namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple
facets	maxLength	50


source 

```

<xs:element name="PhaseID" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

### element **UnitType/Information/PhaseName**

diagram 

namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple

facets	maxLength 50
source	<pre> &lt;xs:element name="PhaseName" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="50"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>

## element UnitType/Information/BuildingID

diagram 

namespace http://my-company.com/namespace

type restriction of **xs:string**

properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple
facets	maxLength	50

source

```

<xs:element name="BuildingID" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

## element UnitType/Information/BuildingName

diagram 

namespace http://my-company.com/namespace

type restriction of **xs:string**

properties	isRef	0
	minOcc	0
	maxOcc	1
	content	simple
facets	maxLength	50

source


```

<xs:element name="BuildingName" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

## element UnitType/Information/Address

diagram



namespace <http://my-company.com/namespace>

type [MITS:AddressType](#)

properties

isRef	0
minOcc	0
maxOcc	10
content	complex


children [MITS:Description](#) [MITS:Address1](#) [MITS:Address2](#) [MITS:City](#) [MITS:State](#) [MITS:Province](#) [MITS:PostalCode](#) [MITS:Country](#) [MITS:CountyName](#) [MITS:UnparsedAddress](#) [MITS:Email](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	Type	<a href="#">MITS:addressin</a>	required			
		<a href="#">fo</a>				

source `<xs:element name="Address" type="MITS:AddressType" minOccurs="0" maxOccurs="10"/>`

## element UnitType/PropertyPrimaryID

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties

isRef	0
content	simple

facets

maxLength	50
-----------	----

source `<xs:element name="PropertyPrimaryID">  
<xs:simpleType>`

```

<xs:restriction base="xs:string">
  <xs:maxLength value="50"/>
</xs:restriction>
</xs:simpleType>
</xs:element>

```

## element **UnitType/MarketingName**

diagram



namespace <http://my-company.com/namespace>

type restriction of **xs:string**

properties isRef 0  
content simple  
facets maxLength 120

source 

```

<xs:element name="MarketingName">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="120"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

## simpleType **addressinfo**

namespace <http://my-company.com/namespace>

type restriction of **xs:string**

used by attribute [AddressType/@Type](#)

facets enumeration property  
enumeration mailing  
enumeration shipping  
enumeration billing  
enumeration current  
enumeration previous  
enumeration forwarding  
enumeration legal notice  
enumeration termination notice  
enumeration other

source 

```

<xs:simpleType name="addressinfo">
  <xs:restriction base="xs:string">
    <xs:enumeration value="property"/>
    <xs:enumeration value="mailing"/>
    <xs:enumeration value="shipping"/>
    <xs:enumeration value="billing"/>
    <xs:enumeration value="current"/>
    <xs:enumeration value="previous"/>
    <xs:enumeration value="forwarding"/>
    <xs:enumeration value="legal notice"/>
    <xs:enumeration value="termination notice"/>
    <xs:enumeration value="other"/>
  </xs:restriction>
</xs:simpleType>

```

## simpleType **customerinfo**

namespace <http://my-company.com/namespace>

type restriction of **xs:string**



used by	attribute	<a href="#">CustomersType/Customer/@Type</a>
facets	enumeration	guest
	enumeration	applicant
	enumeration	customer
	enumeration	current resident
	enumeration	former resident
	enumeration	future resident
	enumeration	prospect
	enumeration	other
source	<pre>&lt;xs:simpleType name="customerinfo"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="guest"/&gt;     &lt;xs:enumeration value="applicant"/&gt;     &lt;xs:enumeration value="customer"/&gt;     &lt;xs:enumeration value="current resident"/&gt;     &lt;xs:enumeration value="former resident"/&gt;     &lt;xs:enumeration value="future resident"/&gt;     &lt;xs:enumeration value="prospect"/&gt;     &lt;xs:enumeration value="other"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>	

### simpleType **phoneinfo**

namespace	http://my-company.com/namespace	
type	restriction of <b>xs:string</b>	
used by	attribute	<a href="#">PhoneType/@Type</a>
facets	enumeration	office
	enumeration	cell
	enumeration	fax
	enumeration	personal
	enumeration	home
	enumeration	other
source	<pre>&lt;xs:simpleType name="phoneinfo"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="office"/&gt;     &lt;xs:enumeration value="cell"/&gt;     &lt;xs:enumeration value="fax"/&gt;     &lt;xs:enumeration value="personal"/&gt;     &lt;xs:enumeration value="home"/&gt;     &lt;xs:enumeration value="other"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>	

### simpleType **propertycontactsinfo**

namespace	http://my-company.com/namespace	
type	restriction of <b>xs:string</b>	
used by	attributes	<a href="#">PropertyContactsType/CompanyInfo/@Type</a> <a href="#">PropertyContactsType/IndividualInfo/@Type</a>
facets	enumeration	manager
	enumeration	owner
	enumeration	vendor
	enumeration	accountant
	enumeration	tax accountant
	enumeration	lawyer
	enumeration	asset manager
	enumeration	lender
	enumeration	investor
	enumeration	employer
	enumeration	previous employer
	enumeration	bank

	enumeration	other
source	<pre> &lt;xs:simpleType name="propertycontactsinfo"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="manager"/&gt;     &lt;xs:enumeration value="owner"/&gt;     &lt;xs:enumeration value="vendor"/&gt;     &lt;xs:enumeration value="accountant"/&gt;     &lt;xs:enumeration value="tax accountant"/&gt;     &lt;xs:enumeration value="lawyer"/&gt;     &lt;xs:enumeration value="asset manager"/&gt;     &lt;xs:enumeration value="lender"/&gt;     &lt;xs:enumeration value="investor"/&gt;     &lt;xs:enumeration value="employer"/&gt;     &lt;xs:enumeration value="previous employer"/&gt;     &lt;xs:enumeration value="bank"/&gt;     &lt;xs:enumeration value="other"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>	

### simpleType **propertyidinfo**

namespace	http://my-company.com/namespace	
type	restriction of <b>xs:string</b>	
used by	attribute	<a href="#">PropertyIDType/Identification/@Type</a>
facets	enumeration	market rate apt
	enumeration	condominium
	enumeration	cooperative
	enumeration	senior
	enumeration	assisted living
	enumeration	subsidized
	enumeration	military
	enumeration	nursing
	enumeration	home
	enumeration	student
	enumeration	other
source	<pre> &lt;xs:simpleType name="propertyidinfo"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="market rate apt"/&gt;     &lt;xs:enumeration value="condominium"/&gt;     &lt;xs:enumeration value="cooperative"/&gt;     &lt;xs:enumeration value="senior"/&gt;     &lt;xs:enumeration value="assisted living"/&gt;     &lt;xs:enumeration value="subsidized"/&gt;     &lt;xs:enumeration value="military"/&gt;     &lt;xs:enumeration value="nursing"/&gt;     &lt;xs:enumeration value="home"/&gt;     &lt;xs:enumeration value="student"/&gt;     &lt;xs:enumeration value="other"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>	

### simpleType **uniteconstatusinfo**

namespace	http://my-company.com/namespace	
type	restriction of <b>xs:string</b>	
used by	element	<a href="#">UnitType/Information/UnitEconomicStatus</a>
facets	enumeration	residential
	enumeration	commercial
	enumeration	down
	enumeration	model
	enumeration	employee
	enumeration	construction

	enumeration	office
	enumeration	other
source	<pre> &lt;xs:simpleType name="uniteconstatusinfo"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="residential"/&gt;     &lt;xs:enumeration value="commercial"/&gt;     &lt;xs:enumeration value="down"/&gt;     &lt;xs:enumeration value="model"/&gt;     &lt;xs:enumeration value="employee"/&gt;     &lt;xs:enumeration value="construction"/&gt;     &lt;xs:enumeration value="office"/&gt;     &lt;xs:enumeration value="other"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>	

### simpleType unitleasestatusinfo

namespace	http://my-company.com/namespace	
type	restriction of <b>xs:string</b>	
used by	element	<a href="#">UnitType/Information/UnitLeasedStatus</a>
facets	enumeration	leased
	enumeration	available
	enumeration	approved
	enumeration	reserved
	enumeration	not ready
	enumeration	on notice
	enumeration	leased on notice
	enumeration	leased reserved
	enumeration	other
source	<pre> &lt;xs:simpleType name="unitleasestatusinfo"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="leased"/&gt;     &lt;xs:enumeration value="available"/&gt;     &lt;xs:enumeration value="approved"/&gt;     &lt;xs:enumeration value="reserved"/&gt;     &lt;xs:enumeration value="not ready"/&gt;     &lt;xs:enumeration value="on notice"/&gt;     &lt;xs:enumeration value="leased on notice"/&gt;     &lt;xs:enumeration value="leased reserved"/&gt;     &lt;xs:enumeration value="other"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>	

### simpleType unitoccpstatusinfo

namespace	http://my-company.com/namespace	
type	restriction of <b>xs:string</b>	
used by	element	<a href="#">UnitType/Information/UnitOccupancyStatus</a>
facets	enumeration	occupied
	enumeration	vacant
source	<pre> &lt;xs:simpleType name="unitoccpstatusinfo"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="occupied"/&gt;     &lt;xs:enumeration value="vacant"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>	

### simpleType unitsqftinfo

namespace	http://my-company.com/namespace	
-----------	---------------------------------	--

type	restriction of <b>xs:string</b>
used by	element <a href="#">UnitType/Information/SquareFootType</a>
facets	enumeration internal enumeration external
source	<pre>&lt;xs:simpleType name="unitsqftinfo"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="internal"/&gt;     &lt;xs:enumeration value="external"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>