

```

<?xml version="1.0" ?>
- <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:msdata="urn:schemas-microsoft-com:xml-msdata" version="1.1">
- <!--
  *****
  Event Schema
  *****
-->
<xs:include schemaLocation="DefaultTypes.xsd" />
- <xs:complexType name="MoveIn">
- <xs:all>
  <xs:element name="MoveInDate" type="STDDate" minOccurs="1"
    maxOccurs="1" />
  <xs:element name="UnitType" type="UnitType" minOccurs="1"
    maxOccurs="1" />
  <xs:element name="NumOccupants" type="xs:positiveInteger"
    minOccurs="1" maxOccurs="1" />
  <xs:element name="IncomeDesignation" type="OwnerDesignation"
    minOccurs="1" maxOccurs="1" />
  <xs:element name="AnnualIncome" type="STDMoney" minOccurs="1"
    maxOccurs="1" />
  <xs:element name="MaxEligibleIncome" type="STDMoney" minOccurs="1"
    maxOccurs="1" />
  <xs:element name="RentDesignation" type="OwnerDesignation"
    minOccurs="1" maxOccurs="1" />
  <xs:element name="TenantRent" type="STDMoney" minOccurs="1"
    maxOccurs="1" />
  <xs:element name="UtilityAllowance" type="STDMoney" minOccurs="1"
    maxOccurs="1" />
  <xs:element name="SubsidyAmount" type="STDMoney" minOccurs="1"
    maxOccurs="1" />
  <xs:element name="SubsidyType" type="SubsidyType" minOccurs="1"
    maxOccurs="1" />
  <xs:element name="NonOptionalCharges" type="STDMoney"
    minOccurs="1" maxOccurs="1" />
  <xs:element name="MaxLIHTCRent" type="STDMoney" minOccurs="1"
    maxOccurs="1" />
  <xs:element name="HouseholdType" type="HouseholdType"
    minOccurs="1" maxOccurs="1" />
  <xs:element name="AllStudentHousehold" type="BinaryDigit"
    minOccurs="1" maxOccurs="1" />
  <xs:element name="StudentUseCode" type="StudentCode" minOccurs="1"
    maxOccurs="1" />
  <xs:element name="EmploymentType" type="EmploymentType"
    minOccurs="1" maxOccurs="1" />
  <xs:element name="HeadOfHousehold" minOccurs="1" maxOccurs="1"
    type="MemberType" />
- <xs:element name="Members" minOccurs="1" maxOccurs="1">
  - <xs:sequence>
    <xs:element name="Member" minOccurs="0"
      maxOccurs="unbounded" type="MemberType" />
  </xs:sequence>
</xs:complexType>

```

```

</xs:element>
- <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      <xs:element name="AuxilData" type="AuxDataType"
        minOccurs="0" maxOccurs="unbounded" />
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
- <xs:complexType name="MoveOut">
  - <xs:all>
    <xs:element name="UnitType" type="UnitType" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="HeadOfHousehold" minOccurs="1" maxOccurs="1"
      type="MemberType" />
  - <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
    - <xs:complexType>
      - <xs:sequence>
        <xs:element name="AuxilData" type="AuxDataType"
          minOccurs="0" maxOccurs="unbounded" />
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:all>
</xs:complexType>
- <xs:complexType name="TransferOut">
  - <xs:all>
    <xs:element name="TransferBin" type="BIN" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="TransferUnit" type="xs:string" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="UnitType" type="UnitType" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="HeadOfHousehold" minOccurs="1" maxOccurs="1"
      type="MemberType" />
  - <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
    - <xs:complexType>
      - <xs:sequence>
        <xs:element name="AuxilData" type="AuxDataType"
          minOccurs="0" maxOccurs="unbounded" />
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:all>
</xs:complexType>
- <xs:complexType name="TransferIn">
  - <xs:all>
    <xs:element name="TransferBin" type="BIN" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="TransferUnit" type="xs:string" minOccurs="1"
      maxOccurs="1" />

```

```

<xs:element name="OldMoveInDate" type="STDDate" minOccurs="1"
  maxOccurs="1" />
<xs:element name="MoveInDate" type="STDDate" minOccurs="1"
  maxOccurs="1" />
<xs:element name="UnitType" type="UnitType" minOccurs="1"
  maxOccurs="1" />
<xs:element name="NumOccupants" type="xs:positiveInteger"
  minOccurs="1" maxOccurs="1" />
<xs:element name="IncomeDesignation" type="OwnerDesignation"
  minOccurs="1" maxOccurs="1" />
<xs:element name="AnnualIncome" type="STDMoney" minOccurs="1"
  maxOccurs="1" />
<xs:element name="MaxEligibleIncome" type="STDMoney" minOccurs="1"
  maxOccurs="1" />
<xs:element name="RentDesignation" type="OwnerDesignation"
  minOccurs="1" maxOccurs="1" />
<xs:element name="TenantRent" type="STDMoney" minOccurs="1"
  maxOccurs="1" />
<xs:element name="UtilityAllowance" type="STDMoney" minOccurs="1"
  maxOccurs="1" />
<xs:element name="SubsidyAmount" type="STDMoney" minOccurs="1"
  maxOccurs="1" />
<xs:element name="SubsidyType" type="SubsidyType" minOccurs="1"
  maxOccurs="1" />
<xs:element name="NonOptionalCharges" type="STDMoney"
  minOccurs="1" maxOccurs="1" />
<xs:element name="MaxLIHTCRent" type="STDMoney" minOccurs="1"
  maxOccurs="1" />
<xs:element name="HouseholdType" type="HouseholdType"
  minOccurs="1" maxOccurs="1" />
<xs:element name="AllStudentHousehold" type="BinaryDigit"
  minOccurs="1" maxOccurs="1" />
<xs:element name="StudentUseCode" type="StudentCode" minOccurs="1"
  maxOccurs="1" />
<xs:element name="EmploymentType" type="EmploymentType"
  minOccurs="1" maxOccurs="1" />
<xs:element name="HeadOfHousehold" minOccurs="1" maxOccurs="1"
  type="MemberType" />
- <xs:element name="Members" maxOccurs="1" minOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      <xs:element name="Member" minOccurs="0"
        maxOccurs="unbounded" type="MemberType" />
    </xs:sequence>
  </xs:complexType>
</xs:element>
- <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      <xs:element name="AuxilData" type="AuxDataType"
        minOccurs="0" maxOccurs="unbounded" />
    </xs:sequence>
  </xs:complexType>

```

```

    </xs:element>
  </xs:all>
</xs:complexType>
- <xs:complexType name="Recertification">
  - <xs:all>
    <xs:element name="IsSelfCertification" type="BinaryDigit" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="OldMoveInDate" type="STDDate" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="MoveInDate" type="STDDate" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="UnitType" type="UnitType" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="NumOccupants" type="xs:positiveInteger"
      minOccurs="1" maxOccurs="1" />
    <xs:element name="IncomeDesignation" type="OwnerDesignation"
      minOccurs="1" maxOccurs="1" />
    <xs:element name="AnnualIncome" type="STDMoney" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="MaxEligibleIncome" type="STDMoney" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="RentDesignation" type="OwnerDesignation"
      minOccurs="1" maxOccurs="1" />
    <xs:element name="TenantRent" type="STDMoney" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="UtilityAllowance" type="STDMoney" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="SubsidyAmount" type="STDMoney" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="SubsidyType" type="SubsidyType" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="NonOptionalCharges" type="STDMoney"
      minOccurs="1" maxOccurs="1" />
    <xs:element name="MaxLIHTCRent" type="STDMoney" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="HouseholdType" type="HouseholdType"
      minOccurs="1" maxOccurs="1" />
    <xs:element name="AllStudentHousehold" type="BinaryDigit"
      minOccurs="1" maxOccurs="1" />
    <xs:element name="StudentUseCode" type="StudentCode" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="EmploymentType" type="EmploymentType"
      minOccurs="1" maxOccurs="1" />
    <xs:element name="HeadOfHousehold" minOccurs="1" maxOccurs="1"
      type="MemberType" />
  - <xs:element name="Members" maxOccurs="1" minOccurs="1">
    - <xs:complexType>
      - <xs:sequence>
        <xs:element name="Member" minOccurs="0"
          maxOccurs="unbounded" type="MemberType" />
      </xs:sequence>
    </xs:complexType>
  </xs:element>

```

```

- <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      <xs:element name="AuxilData" type="AuxDataType"
        minOccurs="0" maxOccurs="unbounded" />
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
- <xs:complexType name="Adjustment">
  - <xs:all>
    <xs:element name="OldMoveInDate" type="STDDate" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="MoveInDate" type="STDDate" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="UnitType" type="UnitType" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="NumOccupants" type="xs:positiveInteger"
      minOccurs="1" maxOccurs="1" />
    <xs:element name="IncomeDesignation" type="OwnerDesignation"
      minOccurs="1" maxOccurs="1" />
    <xs:element name="AnnualIncome" type="STDMoney" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="MaxEligibleIncome" type="STDMoney" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="RentDesignation" type="OwnerDesignation"
      minOccurs="1" maxOccurs="1" />
    <xs:element name="TenantRent" type="STDMoney" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="UtilityAllowance" type="STDMoney" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="SubsidyAmount" type="STDMoney" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="SubsidyType" type="SubsidyType" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="NonOptionalCharges" type="STDMoney"
      minOccurs="1" maxOccurs="1" />
    <xs:element name="MaxLIHTCRent" type="STDMoney" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="HouseholdType" type="HouseholdType"
      minOccurs="1" maxOccurs="1" />
    <xs:element name="AllStudentHousehold" type="BinaryDigit"
      minOccurs="1" maxOccurs="1" />
    <xs:element name="StudentUseCode" type="StudentCode" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="EmploymentType" type="EmploymentType"
      minOccurs="1" maxOccurs="1" />
    <xs:element name="HeadOfHousehold" minOccurs="1" maxOccurs="1"
      type="MemberType" />
  - <xs:element name="Members" maxOccurs="1" minOccurs="1">
    - <xs:complexType>
      - <xs:sequence>

```

```

        <xs:element name="Member" minOccurs="0"
            maxOccurs="unbounded" type="MemberType" />
    </xs:sequence>
</xs:complexType>
</xs:element>
- <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
- <xs:complexType>
- <xs:sequence>
    <xs:element name="AuxilData" type="AuxDataType"
        minOccurs="0" maxOccurs="unbounded" />
    </xs:sequence>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
- <xs:complexType name="InitialCert">
- <xs:all>
    <xs:element name="OldMoveInDate" type="STDDate" minOccurs="1"
        maxOccurs="1" />
    <xs:element name="MoveInDate" type="STDDate" minOccurs="1"
        maxOccurs="1" />
    <xs:element name="UnitType" type="UnitType" minOccurs="1"
        maxOccurs="1" />
    <xs:element name="NumOccupants" type="xs:positiveInteger"
        minOccurs="1" maxOccurs="1" />
    <xs:element name="IncomeDesignation" type="OwnerDesignation"
        minOccurs="1" maxOccurs="1" />
    <xs:element name="AnnualIncome" type="STDMoney" minOccurs="1"
        maxOccurs="1" />
    <xs:element name="MaxEligibleIncome" type="STDMoney" minOccurs="1"
        maxOccurs="1" />
    <xs:element name="RentDesignation" type="OwnerDesignation"
        minOccurs="1" maxOccurs="1" />
    <xs:element name="TenantRent" type="STDMoney" minOccurs="1"
        maxOccurs="1" />
    <xs:element name="UtilityAllowance" type="STDMoney" minOccurs="1"
        maxOccurs="1" />
    <xs:element name="SubsidyAmount" type="STDMoney" minOccurs="1"
        maxOccurs="1" />
    <xs:element name="SubsidyType" type="SubsidyType" minOccurs="1"
        maxOccurs="1" />
    <xs:element name="NonOptionalCharges" type="STDMoney"
        minOccurs="1" maxOccurs="1" />
    <xs:element name="MaxLIHTCRent" type="STDMoney" minOccurs="1"
        maxOccurs="1" />
    <xs:element name="HouseholdType" type="HouseholdType"
        minOccurs="1" maxOccurs="1" />
    <xs:element name="AllStudentHousehold" type="BinaryDigit"
        minOccurs="1" maxOccurs="1" />
    <xs:element name="StudentUseCode" type="StudentCode" minOccurs="1"
        maxOccurs="1" />
    <xs:element name="EmploymentType" type="EmploymentType"
        minOccurs="1" maxOccurs="1" />

```

```

<xs:element name="HeadOfHousehold" minOccurs="1" maxOccurs="1"
  type="MemberType" />
- <xs:element name="Members" maxOccurs="1" minOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      <xs:element name="Member" minOccurs="0"
        maxOccurs="unbounded" type="MemberType" />
    </xs:sequence>
  </xs:complexType>
</xs:element>
- <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      <xs:element name="AuxilData" type="AuxDataType"
        minOccurs="0" maxOccurs="unbounded" />
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
- <xs:complexType name="MemberType">
  - <xs:all>
    <xs:element name="Gender" type="Gender" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="Ethnicity" type="Ethnicity" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="DateOfBirth" type="OptionalDate" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="Age" type="xs:nonNegativeInteger" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="Relationship" type="Relationship" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="MaritalStatus" type="MaritalStatus" minOccurs="1"
      maxOccurs="1" />
    <xs:element name="FullTimeStudent" type="BinaryDigit" minOccurs="1"
      maxOccurs="1" />
  - <xs:element name="Incomes" maxOccurs="1" minOccurs="1">
    - <xs:complexType>
      - <xs:sequence>
        - <xs:element name="Income" minOccurs="0"
          maxOccurs="unbounded">
          - <xs:complexType>
            - <xs:sequence>
              <xs:element name="IncomeVerificationSource"
                type="IncomeVerificationSource" minOccurs="1"
                maxOccurs="1" />
              <xs:element name="Amount" type="STDMoney"
                minOccurs="1" maxOccurs="1" />
            </xs:sequence>
            <xs:attribute name="IncomeType" type="IncomeType"
              use="required" />
          </xs:complexType>
        </xs:element>

```

```

    </xs:sequence>
  </xs:complexType>
</xs:element>
- <xs:element name="Assets" maxOccurs="1" minOccurs="1">
- <xs:complexType>
- <xs:sequence>
- <xs:element name="Asset" minOccurs="0"
  maxOccurs="unbounded">
- <xs:complexType>
- <xs:all>
  <xs:element name="AssetStatus"
    type="AssetStatus" minOccurs="1"
    maxOccurs="1" />
  <xs:element name="AssetVerificationSource"
    type="AssetVerificationSource" minOccurs="1"
    maxOccurs="1" />
  <xs:element name="CashValue" type="STDMoney"
    minOccurs="1" maxOccurs="1" />
  <xs:element name="AnnualIncome"
    type="STDMoney" minOccurs="1"
    maxOccurs="1" />
  </xs:all>
  <xs:attribute name="AssetType" type="AssetType"
    use="required" />
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
- <xs:element name="SpecialStatuss" minOccurs="1" maxOccurs="1">
- <xs:complexType>
- <xs:sequence>
  <xs:element name="SpecialStatus" type="SpecialStatus"
    minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
</xs:element>
- <xs:element name="Races" maxOccurs="1" minOccurs="1">
- <xs:complexType>
- <xs:sequence>
  <xs:element name="Race" type="RaceType" minOccurs="1"
    maxOccurs="6" />
</xs:sequence>
</xs:complexType>
</xs:element>
- <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
- <xs:complexType>
- <xs:sequence>
  <xs:element name="AuxilData" type="AuxDataType"
    minOccurs="0" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
</xs:element>

```

```
</xs:all>
<xs:attribute name="FirstName" type="Name" use="required" />
<xs:attribute name="MiddleInitial" type="Initial" />
<xs:attribute name="LastName" type="Name" use="required" />
<xs:attribute name="SSN" type="SSN" />
<xs:attribute name="AlienRegNbr" type="AlienRegNbr" />
</xs:complexType>
- <xs:complexType name="AuxDataType">
- <xs:choice>
  <xs:element name="MoneyData" type="STDMoney" minOccurs="0"
    maxOccurs="1" />
  <xs:element name="DateData" type="STDDate" minOccurs="0"
    maxOccurs="1" />
  <xs:element name="StringData" type="xs:string" minOccurs="0"
    maxOccurs="1" />
  <xs:element name="IntData" type="xs:integer" minOccurs="0"
    maxOccurs="1" />
</xs:choice>
  <xs:attribute name="DataName" type="xs:string" use="required" />
</xs:complexType>
</xs:schema>
```