

```

<?xml version="1.0"?>
<xs:schema version="2.0" xmlns:msdata="urn:schemas-microsoft-com:xml-msdata"
xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <!--***** Event Schema
  ***** -->
  <xs:include schemaLocation="DefaultTypes_proposed_July2011.xsd"/>
  - <xs:complexType name="MoveIn">
    - <xs:all>
      <xs:element name="MoveInDate" minOccurs="1" maxOccurs="1" type="STDDate"/>
      <xs:element name="LIHTCQualificationDate" minOccurs="0" maxOccurs="1"
        type="STDDate"/>
      <xs:element name="UnitType" minOccurs="1" maxOccurs="1" type="UnitType"/>
      <xs:element name="NumOccupants" minOccurs="1" maxOccurs="1"
        type="xs:positiveInteger"/>
      <xs:element name="IncomeDesignation" minOccurs="1" maxOccurs="1"
        type="OwnerDesignation"/>
      <xs:element name="AnnualIncome" minOccurs="1" maxOccurs="1"
        type="STDMoney"/>
      <xs:element name="MaxEligibleIncome" minOccurs="1" maxOccurs="1"
        type="STDMoney"/>
      <xs:element name="RentDesignation" minOccurs="1" maxOccurs="1"
        type="OwnerDesignation"/>
      <xs:element name="TenantRent" minOccurs="1" maxOccurs="1"
        type="STDMoney"/>
      <xs:element name="UtilityAllowance" minOccurs="1" maxOccurs="1"
        type="STDMoney"/>
      <xs:element name="SubsidyAmount" minOccurs="1" maxOccurs="1"
        type="STDMoney"/>
      <xs:element name="SubsidyType" minOccurs="1" maxOccurs="1"
        type="SubsidyType"/>
      <xs:element name="NonOptionalCharges" minOccurs="1" maxOccurs="1"
        type="STDMoney"/>
      <xs:element name="MaxLIHTCRent" minOccurs="1" maxOccurs="1"
        type="STDMoney"/>
      <xs:element name="HouseholdType" minOccurs="1" maxOccurs="1"
        type="HouseholdType"/>
      <xs:element name="AllStudentHousehold" minOccurs="1" maxOccurs="1"
        type="BinaryDigit"/>
      <xs:element name="StudentUseCode" minOccurs="1" maxOccurs="1"
        type="StudentCode"/>
      <xs:element name="EmploymentType" minOccurs="1" maxOccurs="1"
        type="EmploymentType"/>
      <xs:element name="HeadOfHousehold" minOccurs="1" maxOccurs="1"
        type="MemberType"/>
      <xs:element name="ProgramType" minOccurs="1" maxOccurs="1"
        type="ProgramType"/>
      <xs:element name="WagesTotal" minOccurs="0" maxOccurs="1"
        type="STDMoney"/>

```

```

<xs:element name="SocialSecTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="PublicAssistTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="OtherTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="AssetCashValueTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="AnnualAssetIncomeTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
- <xs:element name="Members" minOccurs="1" maxOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      <xs:element name="Member" minOccurs="0"
        maxOccurs="unbounded" type="MemberType"/></xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
- <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      <xs:element name="AuxilData" minOccurs="0"
        maxOccurs="unbounded" type="AuxDataType"/></xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
- <xs:complexType name="MoveOut">
  - <xs:all>
    <xs:element name="UnitType" minOccurs="1" maxOccurs="1" type="UnitType"/>
    <xs:element name="HeadOfHousehold" minOccurs="1" maxOccurs="1"
      type="MemberType"/>
  - <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
    - <xs:complexType>
      - <xs:sequence>
        <xs:element name="AuxilData" minOccurs="0"
          maxOccurs="unbounded" type="AuxDataType"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:all>
</xs:complexType>
- <xs:complexType name="TransferOut">
  - <xs:all>
    <xs:element name="TransferBin" minOccurs="1" maxOccurs="1" type="BIN"/>
    <xs:element name="TransferUnit" minOccurs="1" maxOccurs="1"
      type="xs:string"/>
    <xs:element name="UnitType" minOccurs="1" maxOccurs="1" type="UnitType"/>

```

```

    <xs:element name="HeadOfHousehold" minOccurs="1" maxOccurs="1"
      type="MemberType"/>
  - <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
    - <xs:complexType>
      - <xs:sequence>
        <xs:element name="AuxilData" minOccurs="0"
          maxOccurs="unbounded" type="AuxDataType"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:all>
</xs:complexType>
- <xs:complexType name="TransferIn">
  - <xs:all>
    <xs:element name="TransferBin" minOccurs="1" maxOccurs="1" type="BIN"/>
    <xs:element name="TransferUnit" minOccurs="1" maxOccurs="1"
      type="xs:string"/>
    <xs:element name="OldMoveInDate" minOccurs="1" maxOccurs="1"
      type="STDDate"/>
    <xs:element name="MoveInDate" minOccurs="1" maxOccurs="1" type="STDDate"/>
    <xs:element name="LIHTCQualificationDate" minOccurs="0" maxOccurs="1"
      type="STDDate"/>
    <xs:element name="UnitType" minOccurs="1" maxOccurs="1" type="UnitType"/>
    <xs:element name="NumOccupants" minOccurs="1" maxOccurs="1"
      type="xs:positiveInteger"/>
    <xs:element name="IncomeDesignation" minOccurs="1" maxOccurs="1"
      type="OwnerDesignation"/>
    <xs:element name="AnnualIncome" minOccurs="1" maxOccurs="1"
      type="STDMoney"/>
    <xs:element name="MaxEligibleIncome" minOccurs="1" maxOccurs="1"
      type="STDMoney"/>
    <xs:element name="RentDesignation" minOccurs="1" maxOccurs="1"
      type="OwnerDesignation"/>
    <xs:element name="TenantRent" minOccurs="1" maxOccurs="1"
      type="STDMoney"/>
    <xs:element name="UtilityAllowance" minOccurs="1" maxOccurs="1"
      type="STDMoney"/>
    <xs:element name="SubsidyAmount" minOccurs="1" maxOccurs="1"
      type="STDMoney"/>
    <xs:element name="SubsidyType" minOccurs="1" maxOccurs="1"
      type="SubsidyType"/>
    <xs:element name="NonOptionalCharges" minOccurs="1" maxOccurs="1"
      type="STDMoney"/>
    <xs:element name="MaxLIHTCRent" minOccurs="1" maxOccurs="1"
      type="STDMoney"/>
    <xs:element name="HouseholdType" minOccurs="1" maxOccurs="1"
      type="HouseholdType"/>
    <xs:element name="AllStudentHousehold" minOccurs="1" maxOccurs="1"
      type="BinaryDigit"/>
  
```

```

<xs:element name="StudentUseCode" minOccurs="1" maxOccurs="1"
  type="StudentCode"/>
<xs:element name="EmploymentType" minOccurs="1" maxOccurs="1"
  type="EmploymentType"/>
<xs:element name="HeadOfHousehold" minOccurs="1" maxOccurs="1"
  type="MemberType"/>
<xs:element name="ProgramType" minOccurs="1" maxOccurs="1"
  type="ProgramType"/>
<xs:element name="WagesTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="SocialSecTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="PublicAssistTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="OtherTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="AssetCashValueTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="AnnualAssetIncomeTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
- <xs:element name="Members" minOccurs="1" maxOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      <xs:element name="Member" minOccurs="0"
        maxOccurs="unbounded" type="MemberType"/></xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
- <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      <xs:element name="AuxilData" minOccurs="0"
        maxOccurs="unbounded" type="AuxDataType"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
- <xs:complexType name="Recertification">
  - <xs:all>
    <xs:element name="IsSelfCertification" minOccurs="1" maxOccurs="1"
      type="BinaryDigit"/>
    <xs:element name="OldMoveInDate" minOccurs="1" maxOccurs="1"
      type="STDDate"/>
    <xs:element name="MoveInDate" minOccurs="1" maxOccurs="1" type="STDDate"/>
    <xs:element name="LIHTCQualificationDate" minOccurs="0" maxOccurs="1"
      type="STDDate"/>
    <xs:element name="UnitType" minOccurs="1" maxOccurs="1" type="UnitType"/>

```

```

<xs:element name="NumOccupants" minOccurs="1" maxOccurs="1"
  type="xs:positiveInteger"/>
<xs:element name="IncomeDesignation" minOccurs="1" maxOccurs="1"
  type="OwnerDesignation"/>
<xs:element name="AnnualIncome" minOccurs="1" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="MaxEligibleIncome" minOccurs="1" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="RentDesignation" minOccurs="1" maxOccurs="1"
  type="OwnerDesignation"/>
<xs:element name="TenantRent" minOccurs="1" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="UtilityAllowance" minOccurs="1" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="SubsidyAmount" minOccurs="1" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="SubsidyType" minOccurs="1" maxOccurs="1"
  type="SubsidyType"/>
<xs:element name="NonOptionalCharges" minOccurs="1" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="MaxLIHTCRent" minOccurs="1" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="HouseholdType" minOccurs="1" maxOccurs="1"
  type="HouseholdType"/>
<xs:element name="AllStudentHousehold" minOccurs="1" maxOccurs="1"
  type="BinaryDigit"/>
<xs:element name="StudentUseCode" minOccurs="1" maxOccurs="1"
  type="StudentCode"/>
<xs:element name="EmploymentType" minOccurs="1" maxOccurs="1"
  type="EmploymentType"/>
<xs:element name="HeadOfHousehold" minOccurs="1" maxOccurs="1"
  type="MemberType"/>
<xs:element name="ProgramType" minOccurs="1" maxOccurs="1"
  type="ProgramType"/>
<xs:element name="WagesTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="SocialSecTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="PublicAssistTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="OtherTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="AssetCashValueTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="AnnualAssetIncomeTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
- <xs:element name="Members" minOccurs="1" maxOccurs="1">
  - <xs:complexType>
    - <xs:sequence>

```

```

        <xs:element name="Member" minOccurs="0"
            maxOccurs="unbounded" type="MemberType"/></xs:element>
    </xs:sequence>
</xs:complexType>
</xs:element>
- <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
    - <xs:complexType>
        - <xs:sequence>
            <xs:element name="AuxilData" minOccurs="0"
                maxOccurs="unbounded" type="AuxDataType"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
- <xs:complexType name="Adjustment">
    - <xs:all>
        <xs:element name="OldMoveInDate" minOccurs="1" maxOccurs="1"
            type="STDDate"/>
        <xs:element name="MoveInDate" minOccurs="1" maxOccurs="1" type="STDDate"/>
        <xs:element name="LIHTCQualificationDate" minOccurs="0" maxOccurs="1"
            type="STDDate"/>
        <xs:element name="UnitType" minOccurs="1" maxOccurs="1" type="UnitType"/>
        <xs:element name="NumOccupants" minOccurs="1" maxOccurs="1"
            type="xs:positiveInteger"/>
        <xs:element name="IncomeDesignation" minOccurs="1" maxOccurs="1"
            type="OwnerDesignation"/>
        <xs:element name="AnnualIncome" minOccurs="1" maxOccurs="1"
            type="STDMoney"/>
        <xs:element name="MaxEligibleIncome" minOccurs="1" maxOccurs="1"
            type="STDMoney"/>
        <xs:element name="RentDesignation" minOccurs="1" maxOccurs="1"
            type="OwnerDesignation"/>
        <xs:element name="TenantRent" minOccurs="1" maxOccurs="1"
            type="STDMoney"/>
        <xs:element name="UtilityAllowance" minOccurs="1" maxOccurs="1"
            type="STDMoney"/>
        <xs:element name="SubsidyAmount" minOccurs="1" maxOccurs="1"
            type="STDMoney"/>
        <xs:element name="SubsidyType" minOccurs="1" maxOccurs="1"
            type="SubsidyType"/>
        <xs:element name="NonOptionalCharges" minOccurs="1" maxOccurs="1"
            type="STDMoney"/>
        <xs:element name="MaxLIHTCRent" minOccurs="1" maxOccurs="1"
            type="STDMoney"/>
        <xs:element name="HouseholdType" minOccurs="1" maxOccurs="1"
            type="HouseholdType"/>
        <xs:element name="AllStudentHousehold" minOccurs="1" maxOccurs="1"
            type="BinaryDigit"/>
    </xs:all>
</xs:complexType>

```

```

<xs:element name="StudentUseCode" minOccurs="1" maxOccurs="1"
  type="StudentCode"/>
<xs:element name="EmploymentType" minOccurs="1" maxOccurs="1"
  type="EmploymentType"/>
<xs:element name="HeadOfHousehold" minOccurs="1" maxOccurs="1"
  type="MemberType"/>
<xs:element name="ProgramType" minOccurs="1" maxOccurs="1"
  type="ProgramType"/>
- <xs:element name="Members" minOccurs="1" maxOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      <xs:element name="Member" minOccurs="0"
        maxOccurs="unbounded" type="MemberType"/></xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
- <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      <xs:element name="AuxilData" minOccurs="0"
        maxOccurs="unbounded" type="AuxData"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
- <xs:complexType name="InitialCert">
  - <xs:all>
    <xs:element name="OldMoveInDate" minOccurs="1" maxOccurs="1"
      type="STDDate"/>
    <xs:element name="MoveInDate" minOccurs="1" maxOccurs="1" type="STDDate"/>
    <xs:element name="LIHTCQualificationDate" minOccurs="0" maxOccurs="1"
      type="STDDate"/>
    <xs:element name="UnitType" minOccurs="1" maxOccurs="1" type="UnitType"/>
    <xs:element name="NumOccupants" minOccurs="1" maxOccurs="1"
      type="xs:positiveInteger"/>
    <xs:element name="IncomeDesignation" minOccurs="1" maxOccurs="1"
      type="OwnerDesignation"/>
    <xs:element name="AnnualIncome" minOccurs="1" maxOccurs="1"
      type="STDMoney"/>
    <xs:element name="MaxEligibleIncome" minOccurs="1" maxOccurs="1"
      type="STDMoney"/>
    <xs:element name="RentDesignation" minOccurs="1" maxOccurs="1"
      type="OwnerDesignation"/>
    <xs:element name="TenantRent" minOccurs="1" maxOccurs="1"
      type="STDMoney"/>
    <xs:element name="UtilityAllowance" minOccurs="1" maxOccurs="1"
      type="STDMoney"/>

```

```

<xs:element name="SubsidyAmount" minOccurs="1" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="SubsidyType" minOccurs="1" maxOccurs="1"
  type="SubsidyType"/>
<xs:element name="NonOptionalCharges" minOccurs="1" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="MaxLIHTCRent" minOccurs="1" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="HouseholdType" minOccurs="1" maxOccurs="1"
  type="HouseholdType"/>
<xs:element name="AllStudentHousehold" minOccurs="1" maxOccurs="1"
  type="BinaryDigit"/>
<xs:element name="StudentUseCode" minOccurs="1" maxOccurs="1"
  type="StudentCode"/>
<xs:element name="EmploymentType" minOccurs="1" maxOccurs="1"
  type="EmploymentType"/>
<xs:element name="HeadOfHousehold" minOccurs="1" maxOccurs="1"
  type="MemberType"/>
<xs:element name="ProgramType" minOccurs="1" maxOccurs="1"
  type="ProgramType"/>
<xs:element name="WagesTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="SocialSecTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="PublicAssistTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="OtherTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="AssetCashValueTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
<xs:element name="AnnualAssetIncomeTotal" minOccurs="0" maxOccurs="1"
  type="STDMoney"/>
- <xs:element name="Members" minOccurs="1" maxOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      <xs:element name="Member" minOccurs="0"
        maxOccurs="unbounded" type="MemberType"/></xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
- <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      <xs:element name="AuxilData" minOccurs="0"
        maxOccurs="unbounded" type="AuxDataType"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:all>

```



```

</xs:complexType>
- <xs:complexType name="MemberType">
  - <xs:all>
    <xs:element name="Gender" minOccurs="1" maxOccurs="1" type="Gender"/>
    <xs:element name="Ethnicity" minOccurs="1" maxOccurs="1" type="Ethnicity"/>
    <xs:element name="DateOfBirth" minOccurs="1" maxOccurs="1"
      type="OptionalDate"/>
    <xs:element name="Age" minOccurs="1" maxOccurs="1"
      type="xs:nonNegativeInteger"/>
    <xs:element name="Relationship" minOccurs="1" maxOccurs="1"
      type="Relationship"/>
    <xs:element name="MaritalStatus" minOccurs="1" maxOccurs="1"
      type="MaritalStatus"/>
    <xs:element name="FullTimeStudent" minOccurs="1" maxOccurs="1"
      type="BinaryDigit"/>
  - <xs:element name="Incomes" minOccurs="1" maxOccurs="1">
    - <xs:complexType>
      - <xs:sequence>
        - <xs:element name="Income" minOccurs="0" maxOccurs="unbounded">
          - <xs:complexType>
            - <xs:sequence>
              <xs:element name="IncomeVerificationSource"
                minOccurs="1" maxOccurs="1"
                type="IncomeVerificationSource"/>
              <xs:element name="Amount" minOccurs="1"
                maxOccurs="1" type="STDMoney"/>
            </xs:sequence>
            <xs:attribute name="IncomeType" type="IncomeType"
              use="required"/>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
- <xs:element name="Assets" minOccurs="1" maxOccurs="1">
  - <xs:complexType>
    - <xs:sequence>
      - <xs:element name="Asset" minOccurs="0" maxOccurs="unbounded">
        - <xs:complexType>
          - <xs:all>
            <xs:element name="AssetStatus" minOccurs="1"
              maxOccurs="1" type="AssetStatus"/>
            <xs:element name="AssetVerificationSource"
              minOccurs="1" maxOccurs="1"
              type="AssetVerificationSource"/>
            <xs:element name="CashValue" minOccurs="1"
              maxOccurs="1" type="STDMoney"/>
            <xs:element name="AnnualIncome" minOccurs="1"
              maxOccurs="1" type="STDMoney"/>
          </xs:all>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

```

        </xs:all>
        <xs:attribute name="AssetType" type="AssetType"
            use="required"/>
        </xs:complexType>
    </xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
- <xs:element name="SpecialStatus" minOccurs="1" maxOccurs="1">
    - <xs:complexType>
        - <xs:sequence>
            <xs:element name="SpecialStatus" minOccurs="0"
                maxOccurs="unbounded" type="SpecialStatus"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
- <xs:element name="Races" minOccurs="1" maxOccurs="1">
    - <xs:complexType>
        - <xs:sequence>
            <xs:element name="Race" minOccurs="1" maxOccurs="6"
                type="RaceType"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
- <xs:element name="AuxiliaryData" minOccurs="1" maxOccurs="1">
    - <xs:complexType>
        - <xs:sequence>
            <xs:element name="AuxilData" minOccurs="0"
                maxOccurs="unbounded" type="AuxDataType"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
</xs:all>
<xs:attribute name="FirstName" type="Name" use="required"/>
<xs:attribute name="MiddleInitial" type="Initial"/>
<xs:attribute name="LastName" type="Name" use="required"/>
<xs:attribute name="SSN" type="SSN" use="optional"/>
<xs:attribute name="AlienRegNbr" type="AlienRegNbr" use="optional"/>
</xs:complexType>
- <xs:complexType name="AuxDataType">
    - <xs:choice>
        <xs:element name="MoneyData" minOccurs="0" maxOccurs="1"
            type="STDMoney"/>
        <xs:element name="DateData" minOccurs="0" maxOccurs="1" type="STDDate"/>
        <xs:element name="StringData" minOccurs="0" maxOccurs="1" type="xs:string"/>
        <xs:element name="IntData" minOccurs="0" maxOccurs="1" type="xs:integer"/>
    </xs:choice>
    <xs:attribute name="DataName" type="xs:string" use="required"/>
</xs:complexType>

```

```

<!--***** Supporting
ProgramType ***** -->
- <xs:complexType name="ProgramType">
  - <xs:sequence>
    <xs:element name="TaxCredit" minOccurs="1" maxOccurs="1" type="yesno"/>
    <xs:element name="HOME" minOccurs="1" maxOccurs="1" type="yesno"/>
    <xs:element name="HOMEIncomeStatus" minOccurs="1" maxOccurs="1"
      type="AMGIPercentage"/>
    <xs:element name="TaxExempt" minOccurs="1" maxOccurs="1" type="yesno"/>
    <xs:element name="TaxExemptIncomeStatus" minOccurs="1" maxOccurs="1"
      type="AMGIPercentage"/>
    <xs:element name="AHDP" minOccurs="1" maxOccurs="1" type="yesno"/>
    <xs:element name="AHDPIncomeStatus" minOccurs="1" maxOccurs="1"
      type="AHDPAWGIPercentage"/>
  - <xs:element name="OtherPrograms" minOccurs="0" maxOccurs="1">
    - <xs:complexType>
      - <xs:sequence>
        - <xs:element name="OtherProgram" maxOccurs="10">
          - <xs:complexType>
            - <xs:sequence>
              <xs:element name="NameOfTheProgram"
                minOccurs="1" maxOccurs="1" type="xs:string"/>
              <xs:element name="IncomeStatus" minOccurs="1"
                maxOccurs="1" type="integerOpt"/>
            </xs:sequence>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:sequence>
</xs:complexType>
</xs:schema>

```