
attributes
id
type xs:string
use optional
MITS:PropertyContactsType
attributes
Type
type MITS:propertycontactsinfo
use required
MITS:CompanyID
type xs:string
derivedBy restriction
min/maxL... 50
MITS:ContactDescription
type xs:string
derivedBy restriction
min/maxL... 50
MITS:ContactName
type xs:string
derivedBy restriction
min/maxL... 50
MITS:AddressType
attributes
Type
type MITS:addressi...
use required
MITS:CompanyInfo
0..10
MITS:Description
type xs:string
derivedBy restriction
min/maxL... 100
MITS:Address1
type xs:string
derivedBy restriction
min/maxL... 100
MITS:Address2
type xs:string
derivedBy restriction
min/maxL... 100
0..10
MITS:Address
type MITS:AddressTy...
0..10
MITS:City
type xs:string
derivedBy restriction
min/maxL... 60
MITS:State
type xs:string
derivedBy restriction
min/maxL... 3
3 char State Code
MITS:Province
type xs:string
derivedBy restriction
min/maxL... 60
MITS:PostalCode
type xs:string
derivedBy restriction
min/maxL... 12
MITS:Country
type xs:string
derivedBy restriction
min/maxL... 50
MITS:CountyName
type xs:string
derivedBy restriction
min/maxL... 60
MITS:UnparsedAddress
type xs:string
derivedBy restriction
min/maxL... 200
MITS:Email
type xs:string
derivedBy restriction
min/maxL... 80
Management
0..∞
Id
PropertyContacts
type MITS:PropertyContactsTy...
MITS PropertyContacts Core Data module version 2.0
MITS:WebSite
type xs:string
derivedBy restriction
min/maxL... 100
MITS:Logo
type xs:string
derivedBy restriction
min/maxL... 100
MITS:PhoneType
attributes
Type
type MITS:phonei...
use required
MITS:PhoneDescription
type xs:string
derivedBy restriction
min/maxL... 50
MITS:Phone
type MITS:PhoneT...
0..10


MITS:PhoneNumber
type xs:string
derivedBy restriction
min/maxL... 20
MITS:Extension
type xs:string
derivedBy restriction
min/maxL... 20
attributes
Type
type MITS:propertycontactsinfo
use required
MITS:CompanyID
type xs:string
derivedBy restriction
min/maxL... 50
MITS:ContactDescription
type xs:string
derivedBy restriction
min/maxL... 50
MITS:FirstName
type xs:string
derivedBy restriction
min/maxL... 50
MITS:LastName
type xs:string
derivedBy restriction
min/maxL... 50
MITS:IndividualInfo
0..10
MITS:AddressType
attributes
Type
type MITS:addressi...
use required
MITS:Description
type xs:string
derivedBy restriction
min/maxL... 100
MITS:Address1
type xs:string
derivedBy restriction
min/maxL... 100
MITS:Address2
type xs:string
derivedBy restriction
min/maxL... 100
0..10
MITS:Address
type MITS:AddressTy...
0..10
MITS:City
type xs:string
derivedBy restriction
min/maxL... 60
MITS:State
type xs:string
derivedBy restriction
min/maxL... 3
3 char State Code
MITS:Province
type xs:string
derivedBy restriction
min/maxL... 60
MITS:PostalCode
type xs:string
derivedBy restriction
min/maxL... 12
MITS:Country
type xs:string
derivedBy restriction
min/maxL... 50
MITS:CountyName
type xs:string
derivedBy restriction
min/maxL... 60
MITS:UnparsedAddress
type xs:string
derivedBy restriction
min/maxL... 200
MITS:Email
type xs:string
derivedBy restriction
min/maxL... 80
MITS:PhoneType
attributes
Type
type MITS:phonei...
use required
MITS:Phone
type MITS:PhoneT...
0..10
MITS:PhoneDescription
type xs:string
derivedBy restriction
min/maxL... 50
MITS:PhoneNumber
type xs:string
derivedBy restriction
min/maxL... 20


MITS:Extension
type xs:string
derivedBy restriction
min/maxL... 20
FileType
attributes
Id
type xs:string
use required
Active
type xs:boolean
use required
Type
type xs:string
derivedBy restriction
min/maxL... 100
Example: photo, floorplan, logo, etc.
Description
type xs:string
Name
type xs:string
derivedBy restriction
min/maxL... 256
Caption
type xs:string
derivedBy restriction
min/maxL... 500
Text description specified for subject
Format
type xs:string
derivedBy restriction
min/maxL... 100
Src
type xs:string
derivedBy restriction
min/maxL... 256
Width
type xs:integer
Height
type xs:integer
Rank
type xs:string
derivedBy restriction
min/maxL... 50
Relative ranking of subject file among files of similar type
AdID
AffiliateID
File
type FileTy...
0..∞
Id, Active
attributes
ManagementID
type xs:string
use optional
MITS:PropertyIDType
attributes
Type
type MITS:propertyidi...
use required
MITS:PrimaryID
type xs:string
derivedBy restriction
min/maxL... 0 50
MITS:SecondaryID
type xs:string
derivedBy restriction
min/maxL... 50
MITS:MarketingName
type xs:string
derivedBy restriction
min/maxL... 120
MITS:LegalName
type xs:string
derivedBy restriction
min/maxL... 120
MITS:APN
type xs:string
derivedBy restriction
min/maxL... 40
MITS:MSA_Number
type xs:integer
MITS:MSA_Name
type xs:string
derivedBy restriction
min/maxL... 60
MITS:StructureDescription
type xs:string
derivedBy restriction
min/maxL... 100
MITS:Identification


PhysicalProperty
MITS Property v2.0 Final DRAFT updated 1/23/07
PropertyID
type MITS:PropertyIDT...
MITS PropertyID Core Data Module version 2.0
MITS:Address
type MITS:AddressTy...
0..10
MITS:WebSite
type xs:string
derivedBy restriction
min/maxL... 100
MITS:AddressType
attributes
Type
type MITS:addressi...
use required
MITS:Description
type xs:string
derivedBy restriction
min/maxL... 100
MITS:Address1
type xs:string
derivedBy restriction
min/maxL... 100
MITS:Address2
type xs:string
derivedBy restriction
min/maxL... 100
0..10
MITS:City
type xs:string
derivedBy restriction
min/maxL... 60
MITS:State
type xs:string
derivedBy restriction
min/maxL... 3
3 char State Code
MITS:Province
type xs:string
derivedBy restriction
min/maxL... 60
MITS:PostalCode
type xs:string
derivedBy restriction
min/maxL... 12
MITS:Country
type xs:string
derivedBy restriction
min/maxL... 50
MITS:CountyName
type xs:string
derivedBy restriction
min/maxL... 60
MITS:UnparsedAddress
type xs:string
derivedBy restriction
min/maxL... 200
MITS:Email
type xs:string
derivedBy restriction
min/maxL... 80
MITS:PhoneType
attributes
Type
type MITS:phonei...
use required
MITS:Phone
type MITS:PhoneT...
0..10
MITS:PhoneDescription
type xs:string
derivedBy restriction
min/maxL... 50
MITS:PhoneNumber
type xs:string
derivedBy restriction
min/maxL... 20
MITS:Extension
type xs:string
derivedBy restriction
min/maxL... 20
General_ID
type GeneralIDTy...
0..10
GeneralIDType
ID
type xs:string
derivedBy restriction
min/maxL... 50
Description
type xs:string
derivedBy restriction
min/maxL... 100
ILS_Identification
Type, RentalType
attributes
Type
type xs:string
use required
RentalType
type xs:string
use required
Latitude
type xs:decimal
Longitude
type xs:decimal


DaylightSaving
type xs:boolean
TimeZone
type xs:string
derivedBy restriction
min/maxL... 100
LastUpdate
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
StructureType
type xs:string
derivedBy restriction
BuildingCount
type xs:integer
UnitCount
type xs:integer
NumberOfAcres
type xs:decimal
YearBuilt
type MITS-Y...
derivedBy restriction
min/maxL... 0 4
pattern (\d{0,4})?
YearRemodeled
type MITS-Y...
derivedBy restriction
min/maxL... 0 4
pattern (\d{0,4})?
AcquisitionDate
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
OfficeHour
0..∞
OpenTime
type xs:string
derivedBy restriction
min/maxL... 50
CloseTime
type xs:string
derivedBy restriction
min/maxL... 50
Day
type xs:string
derivedBy restriction
min/maxL... 20
Days open: Su, M, T, W, Th, F, Sa
ShortDescription
type xs:string
derivedBy restriction
min/maxL... 500
LongDescription
type xs:string
derivedBy restriction
min/maxL... 1000
LeaseLength
type xs:string
derivedBy restriction
min/maxL... 100
Rents
SalePrice
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
StartRent
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
StandardRent
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
CorporateRent
attributes
Min
type MITS-Curren...
use optional
Max
type MITS-Curren...
use optional
Information


attributes
Persons
type xs:integer
use required
IncomeRentQual
0..6
IncomeLimit
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
QualifiedRent
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
attributes
Type
type xs:string
use required
Parking
0..∞
Type
Assigned
type xs:boolean
AssignedFee
type xs:string
derivedBy restriction
SpaceFee
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
Spaces
type xs:integer
Comment
type xs:string
derivedBy restriction
min/maxL... 500
DrivingDirections
type xs:string
derivedBy restriction
min/maxL... 1000
attributes
Nearest
type xs:boolean
use required
Services
0..∞
Nearest
Name
type xs:string
derivedBy restriction
min/maxL... 200
Detail
type xs:string
derivedBy restriction
min/maxL... 500
DistanceTo
type xs:string
derivedBy restriction
min/maxL... 100
Comment
type xs:string
derivedBy restriction
min/maxL... 500
PropertyAvailabilityURL
type xs:string
derivedBy restriction
min/maxL... 250
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
LiveDate
LiveFlag
type xs:boolean
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
LastDayBegin


Accounting
LastDayEnd
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
LastAccMthEnd
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
AcctMthEndFlag
type xs:string
derivedBy restriction
LastInvoiceNumber
type xs:string
derivedBy restriction
default 0
min/maxL... 40
LastReceiptNumber
type xs:string
derivedBy restriction
min/maxL... 40
CashReserve
type MITS-Currency
pattern (\d*[\-\d*)?\.?(\d{2})?
EndOfYear
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
AccountsReceivable
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
AccountsPayable
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
GeneralLedger
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format


Property
1..∞
managementID
CurrentAccountingPeriod
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
CurrentAccountingPeriodAR
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
CurrentAccountingPeriodAF
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
TaxCredit
type xs:string
derivedBy restriction
min/maxL... 100
Payment
RemitTo
type xs:string
CheckPayable
type xs:string
derivedBy restriction
min/maxL... 100
FeeType
ProrateType
type xs:string
derivedBy restriction
min/maxL... 100
LateType
type xs:string
derivedBy restriction
min/maxL... 100
LatePercent
type xs:decimal
LateMinFee
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
LateFeePerDay
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
NonRefundableHoldFee
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
Fee
type FeeType
derivedBy extension
AdminFee
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
ApplicationFee
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
ConcessionType
attributes
Active
type xs:boolean
use required
Value
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
Term
type xs:integer
DescriptionHeader
type xs:string
derivedBy restriction
min/maxL... 1000
DescriptionBody
type xs:string
derivedBy restriction
min/maxL... 1000
Concession
type ConcessionType
derivedBy extension
0..10
Active


DescriptionFooter
type xs:string
derivedBy restriction
min/maxL... 1000
GeneralAmenityType
attributes
Type
type xs:string
use required
SubType
type xs:string
use optional
Amenity
type GeneralAmenityTy...
0..∞
Description
type xs:string
derivedBy restriction
min/maxL... 50
Rank
type xs:integer
DepositType
attributes
type
type xs:string
use required
attributes
Type
type xs:string
use required
Deposit
type DepositTy...
Type
Amount
Value
type xs:decimal
Range
min
type xs:decimal
max
type xs:decimal
Description
type xs:string
derivedBy restriction
min/maxL... 1000
PercentRefundable
type xs:decimal
PortionRefundable
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
attributes
Type
type xs:string
use required
Allowed
type xs:boolean
use required
Comment
type xs:string
derivedBy restriction
min/maxL... 500
MaxCount
type xs:integer
Pet
1..∞
Type, Allowed
Deposit
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
Fee
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
Rent
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
Weight
type xs:decimal
attributes
Min
type MITS-Curren...
use optional
Max
type MITS-Curren...
use optional
Policy
FeeRange
Min, Max
Restrictions
type xs:string
derivedBy restriction
min/maxL... 500
PetCare
type xs:boolean
General
type xs:string
derivedBy restriction
min/maxL... 500
General Policy


attributes
Id
type xs:string
use required
BuildingID
type xs:string
use required
Name
type xs:string
derivedBy restriction
min/maxL... 100
Description
type xs:string
derivedBy restriction
min/maxL... 1000
UnitCount
type xs:integer
RentableUnits
type xs:integer
TotalSquareFeet
type xs:integer
RentableSquareFeet
type xs:integer
Phase
0..∞
Id, BuildingID
GeneralAmenityType
attributes
Type
type xs:string
use required
SubType
type xs:string
use optional
Amenity
type GeneralAmenityTy...
0..∞
Description
type xs:string
derivedBy restriction
min/maxL... 50
Rank
type xs:integer
FileType
attributes
Id
type xs:string
use required
Active
type xs:boolean
use required
Type
type xs:string
derivedBy restriction
min/maxL... 100
Example: photo, floorplan, logo, etc.
Description
type xs:string
File
type FileTy...
0..∞
Id, Active
Name
type xs:string
derivedBy restriction
min/maxL... 256
Caption
type xs:string
derivedBy restriction
min/maxL... 500
Text description specified for subject
Format
type xs:string
derivedBy restriction
min/maxL... 100
Src
type xs:string
derivedBy restriction
min/maxL... 256
Width
type xs:integer
Height
type xs:integer
Rank
type xs:string
derivedBy restriction
min/maxL... 50
Relative ranking of subject file among files of similar type
AdID
AffiliateID
Promotional
type xs:string
derivedBy restriction
min/maxL... 500
0..∞
Promotional Bullet Points for ILS Listings


attributes
Id
type xs:string
use required
Type
type xs:string
use optional
Name
type xs:string
derivedBy restriction
min/maxL... 100
Description
type xs:string
derivedBy restriction
min/maxL... 1000
UnitCount
type xs:integer
SquareFeet
type xs:integer
Building
0..∞
Id, Type
GeneralAmenityType
attributes
Type
type xs:string
use required
SubType
type xs:string
use optional
Amenity
type GeneralAmenityTy...
0..∞
Description
type xs:string
derivedBy restriction
min/maxL... 50
Rank
type xs:integer
FileType
attributes
Id
type xs:string
use required
Active
type xs:boolean
use required
Type
type xs:string
derivedBy restriction
min/maxL... 100
Example: photo, floorplan, logo, etc.
Description
type xs:string
Name
type xs:string
derivedBy restriction
min/maxL... 256
Caption
type xs:string
derivedBy restriction
min/maxL... 500
Text description specified for subject
Format
type xs:string
derivedBy restriction
min/maxL... 100
Src
type xs:string
derivedBy restriction
min/maxL... 256
Width
type xs:integer
Height
type xs:integer
Rank
type xs:string
derivedBy restriction
min/maxL... 50
Relative ranking of subject file among files of similar type
AdID
AffiliateID
File
type FileTy...
0..∞
Id, Active
attributes
Id
type xs:string
use required
Type
type xs:string
use optional
BuildingID
type xs:string
use optional


Name
type xs:string
derivedBy restriction
min/maxL... 100
Comment
type xs:string
derivedBy restriction
min/maxL... 1000
UnitCount
type xs:integer
FloorplanAvailabilityURL
type xs:string
derivedBy restriction
min/maxL... 250
UnitsAvailable
type xs:integer
DisplayedUnitsAvailable
type xs:integer
FloorCount
type xs:integer
TotalRoomCount
type xs:integer
RoomType
attributes
Type
type xs:string
use required
Room
type RoomTy...
1..∞
Description
type xs:string
Count
type xs:decimal
Comment
type xs:string
Size
type xs:decimal
GeneralType
type xs:string
attributes
grp MITS-RangeGroup
Avg
type MITS-Inte...
use optional
Min
type MITS-Inte...
use required
Max
type MITS-Inte...
use required
SquareFeet
Average, Min, Max
Attribute group for avg, min, and max values
Floorplan
1..∞
Id, Type, BuildingID
MarketRent
EffectiveRent
LeaseTerm
ConcessionType


attributes
Active
type xs:boolean
use required
Concession
type ConcessionType
0..10
Active
Value
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
Term
type xs:integer
DescriptionHeader
type xs:string
derivedBy restriction
min/maxL... 1000
DescriptionBody
type xs:string
derivedBy restriction
min/maxL... 1000
DescriptionFooter
type xs:string
derivedBy restriction
min/maxL... 1000
DepositType
attributes
type
type xs:string
use required
Deposit
type DepositTy...
0..∞
Type
Amount
attributes
Type
type xs:string
use required
Value
type xs:decimal
Range
min
type xs:decimal
max
type xs:decimal
Description
type xs:string
derivedBy restriction
min/maxL... 1000
PercentRefundable
type xs:decimal
PortionRefundable
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
FeeType
ProrateType
type xs:string
derivedBy restriction
min/maxL... 100
LateType
type xs:string
derivedBy restriction
min/maxL... 100
LatePercent
type xs:decimal
LateMinFee
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
LateFeePerDay
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
NonRefundableHoldFee
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
Fee
type FeeType
derivedBy extension
AdminFee
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
ApplicationFee
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
SpecificAmenityType
attributes
Type
type xs:string
use required
SubType
type xs:string
use optional
Amenity
type SpecificAmenityType
0..∞
Description
type xs:string
derivedBy restriction
min/maxL... 50
Rank
type xs:integer
derivedBy extension
FileType


attributes
Id
type xs:string
use required
Active
type xs:boolean
use required
File
type FileTy...
0..∞
Id, Active
Type
type xs:string
derivedBy restriction
min/maxL... 100
Example: photo, floorplan, logo, etc.
Description
type xs:string
Name
type xs:string
derivedBy restriction
min/maxL... 256
Caption
type xs:string
derivedBy restriction
min/maxL... 500
Text description specified for subject
Format
type xs:string
derivedBy restriction
min/maxL... 100
Src
type xs:string
derivedBy restriction
min/maxL... 256
Width
type xs:integer
Height
type xs:integer
Rank
type xs:string
derivedBy restriction
min/maxL... 50
Relative ranking of subject file among files of similar type
AdID
AffiliateID
Promotional
type xs:string
derivedBy restriction
min/maxL... 500
0..∞
Promotional Bullet Points for ILS Listings
attributes
Id
type xs:string
use required
FloorplanID
type xs:string
use required
BuildingID
type xs:string
use optional
MITS:UnitType
MITS:UnitID
type xs:string
derivedBy restriction
min/maxL... 0 50
MITS:UnitType
type xs:string
derivedBy restriction
min/maxL... 0 50
MITS:UnitBedrooms
type xs:decimal
derivedBy restriction
MITS:UnitBathrooms
type xs:decimal
derivedBy restriction
MITS:MinSquareFeet
type xs:integer
derivedBy restriction
MITS:MaxSquareFeet
type xs:integer
derivedBy restriction
MITS:SquareFootType
type MITS:unitsqftinfo
MITS:UnitRent
type xs:decimal
derivedBy restriction
MITS:MarketRent
type xs:decimal
derivedBy restriction
MITS:UnitEcomomicStatus
type MITS:uniteconstatusinfo


ILS_Unit
0..∞
Id, FloorplanID, BuildingID
Unit
type MITS:UnitT...
MITS Unit Core Data Module Version 2.0
Comment
MITS:Information
1..∞
MITS:UnitEconomicStatusDescrip...
type xs:string
derivedBy restriction
min/maxL... 100
MITS:UnitOccupancyStatus
type MITS:unitoccpstatusinfo
MITS:UnitLeasedStatus
type MITS:unitleasestatusi...
MITS:UnitLeasedStatusDescription
type xs:string
derivedBy restriction
min/maxL... 100
MITS:FloorPlanID
type xs:string
derivedBy restriction
min/maxL... 50
MITS:FloorplanName
type xs:string
derivedBy restriction
min/maxL... 50
MITS:PhaseID
type xs:string
derivedBy restriction
min/maxL... 50
MITS:PhaseName
type xs:string
derivedBy restriction
min/maxL... 50
MITS:BuildingID
type xs:string
derivedBy restriction
min/maxL... 50
MITS:BuildingName
type xs:string
derivedBy restriction
min/maxL... 50
MITS:Address
type MITS:AddressTy...
0..10
MITS:AddressType
attributes
Type
type MITS:addressi...
use required
MITS:Description
type xs:string
derivedBy restriction
min/maxL... 100
MITS:Address1
type xs:string
derivedBy restriction
min/maxL... 100
MITS:Address2
type xs:string
derivedBy restriction
min/maxL... 100
0..10
MITS:City
type xs:string
derivedBy restriction
min/maxL... 60
MITS:State
type xs:string
derivedBy restriction
min/maxL... 3
3 char State Code
MITS:Province
type xs:string
derivedBy restriction
min/maxL... 60
MITS:PostalCode
type xs:string
derivedBy restriction
min/maxL... 12
MITS:Country
type xs:string
derivedBy restriction
min/maxL... 50
MITS:CountyName
type xs:string
derivedBy restriction
min/maxL... 60
MITS:UnparsedAddress
type xs:string
derivedBy restriction
min/maxL... 200
MITS:Email
type xs:string
derivedBy restriction
min/maxL... 80
MITS:PropertyPrimaryID
type xs:string
derivedBy restriction
min/maxL... 50
MITS:MarketingName
type xs:string
derivedBy restriction
min/maxL... 120


attributes
grp MITS-RangeGroup
Avg
type MITS-Inte...
use optional
Min
type MITS-Inte...
use required
Max
type MITS-Inte...
use required
Attribute group for avg, min, and max values
EffectiveRent
ConcessionType
attributes
Active
type xs:boolean
use required
Value
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
Term
type xs:integer
DescriptionHeader
type xs:string
derivedBy restriction
min/maxL... 1000
DescriptionBody
type xs:string
derivedBy restriction
min/maxL... 1000
DescriptionFooter
type xs:string
derivedBy restriction
min/maxL... 1000
Concession
type ConcessionType
0..10
Active
DepositType
attributes
type
type xs:string
use required
attributes
Type
type xs:string
use required
Deposit
type DepositTy...
Amount
Value
type xs:decimal
Range
min
type xs:decimal
max
type xs:decimal
Description
type xs:string
derivedBy restriction
min/maxL... 1000
PercentRefundable
type xs:decimal
PortionRefundable
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
SpecialAccess
type xs:string
derivedBy restriction
min/maxL... 100
Description of special accomodations for subject unit.
EntryFloor
type xs:string
derivedBy restriction
min/maxL... 50
PriorMarket
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
ChangeDate
StandardRenewal
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?


UserOption
type xs:string
derivedBy restriction
min/maxL... 500
ProfitCenter
type xs:string
derivedBy restriction
min/maxL... 100
FloorLevel
type xs:string
derivedBy restriction
min/maxL... 50
NumberOfFloors
type xs:string
derivedBy restriction
min/maxL... 100
ApplianceColorCode
type xs:string
derivedBy restriction
min/maxL... 50
CarpetCode
type xs:string
derivedBy restriction
min/maxL... 50
CarpetReplacedDate
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
PaintedDate
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
Affordable
Type
attributes
Type
type xs:string
use required
Program
type xs:string
derivedBy restriction
min/maxL... 100
ContractRent
type MITS-Currency
derivedBy restriction
pattern (\d*|\-\d*)?\.?(\d{2})?
Allowance
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
Availability
MoveOutCode
type xs:string
derivedBy restriction
min/maxL... 100
MoveOutDescription
type xs:string
derivedBy restriction
min/maxL... 1000
CancellationCode
type xs:string
derivedBy restriction
min/maxL... 100
CancellationDescription
type xs:string
derivedBy restriction
min/maxL... 1000
VacateDate
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format


VacancyClass
type xs:string
derivedBy restriction
min/maxL... 0 256
Vacancy status of subject unit.
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
MadeReadyDate
UnitAvailabilityURL
type xs:string
derivedBy restriction
min/maxL... 250
Cancellation
Reason
type xs:string
derivedBy restriction
min/maxL... 500
FeeType
ProrateType
type xs:string
derivedBy restriction
min/maxL... 100
LateType
type xs:string
derivedBy restriction
min/maxL... 100
LatePercent
type xs:decimal
Fee
type FeeTy...
LateMinFee
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
LateFeePerDay
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
NonRefundableHoldFee
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
SpecificAmenityType
attributes
Type
type xs:string
use required
SubType
type xs:string
use optional
Amenity
type SpecificAmenityType
0..∞
Description
type xs:string
derivedBy restriction
min/maxL... 50
Rank
type xs:integer
derivedBy extension
FileType
attributes
Id
type xs:string
use required
Active
type xs:boolean
use required
Type
type xs:string
derivedBy restriction
min/maxL... 100
Example: photo, floorplan, logo, etc.
Description
type xs:string
File
type FileTy...
0..∞
Id, Active
Name
type xs:string
derivedBy restriction
min/maxL... 256
Caption
type xs:string
derivedBy restriction
min/maxL... 500
Text description specified for subject
Format
type xs:string
derivedBy restriction
min/maxL... 100


Src
type xs:string
derivedBy restriction
min/maxL... 256
Width
type xs:integer
Height
type xs:integer
Rank
type xs:string
derivedBy restriction
min/maxL... 50
Relative ranking of subject file among files of similar type
AdID
AffiliateID
Promotional
type xs:string
derivedBy restriction
min/maxL... 500
0..∞
Promotional Bullet Points for ILS Listings
attributes
MajorUtility
type xs:string
use required
Utility
MajorUtility
AirCon
type xs:boolean
BroadbandInternet
type xs:boolean
Cable
type xs:boolean
Electric
type xs:boolean
Gas
type xs:boolean
Heat
type xs:boolean
HotWater
type xs:boolean
Satellite
type xs:boolean
Sewer
type xs:boolean
Telephone
type xs:boolean
Trash
type xs:boolean
Water
type xs:boolean
UtilityPortionIncluded
type xs:decimal
attributes
Type
type xs:string
use required
ILS
Commission
Type
Amount
type xs:integer
Minimum
type xs:integer
AmountPosted
type MITS-Currency
pattern (\d*|\-\d*)?\.?(\d{2})?
ContractExpire
attributes
grp MITS-DateGroup
Month
type xs:string
use required
Day
type xs:string
use required
Year
type xs:string
use required
Standard MITS date format
FileType
attributes
Id
type xs:string
use required
Active
type xs:boolean
use required


File
type FileTy...
0..∞
Id, Active
Type
type xs:string
derivedBy restriction
min/maxL... 100
Example: photo, floorplan, logo, etc.
Description
type xs:string
Name
type xs:string
derivedBy restriction
min/maxL... 256
Caption
type xs:string
derivedBy restriction
min/maxL... 500
Text description specified for subject
Format
type xs:string
derivedBy restriction
min/maxL... 100
Src
type xs:string
derivedBy restriction
min/maxL... 256
Width
type xs:integer
Height
type xs:integer
Rank
type xs:string
derivedBy restriction
min/maxL... 50
Relative ranking of subject file among files of similar type
AdID
AffiliateID
Promotional
type xs:string
derivedBy restriction
min/maxL... 500
0..∞
Promotional Bullet Points for ILS Listings